DSC-202

CLIMATOLOGY AND OCEANOGRAPHY

UNIT I:

Nature and scope of Climatology, Origin, Composition, and structure of the atmosphere: Troposphere, Stratosphere, Mesosphere, Ionosphere, Exosphere, and their characteristics. Composition of the atmosphere, Concept of weather and climate.

UNIT II:

Atmospheric temperature - Insolation, Heat Budget, Heat Balance, Inversion of temperature, Horizontal and Vertical distribution of temperature; Atmospheric pressure and winds - Planetary winds, forces affecting winds, general circulation, Jet streams. Atmospheric Moisture; Climatic classification (Koppens and Thornthwait).

UNIT III:

Air masses and Fronts – origin, classification, and characteristics; Fronts, Frontogenesis and Frontolysis; Cyclones and Anti-Cyclones – Tropical and Extra-Tropical Cyclones; Monsoon – origin, mechanism, distribution, and its effects.

CAREER STUDY
The Learning App

UNIT IV:

Morphology of the ocean floor: Ocean bottom relief of the Pacific, Atlantic and Indian oceans. Density of oceanic water; Water masses and ocean deposits. Distribution of temperature and salinity in ocean water.

UNIT V:

Marine deposits, coral reef, and Coral islands: Its growth, types and theories (Darwin and Dana); Movement of ocean waters: Ocean currents, Tides and waves, Sea level changes.

UNIT – 1

ONE MARK:

Q1. What is Climatology?

Answer: Climatology is the branch of Geography that deals with the scientific study of climate, its characteristics, variations and distribution over the Earth's surface.

Q2. What is the scope of Climatology?

Answer: Climatology studies atmospheric conditions, temperature, pressure, humidity, rainfall, winds, climate change and the relationship between climate and human activities.

Q3. What is the origin of the atmosphere?

Answer: The atmosphere originated mainly through the release of gases from the Earth's interior by volcanic activity, along with gases contributed by other processes during the early stages of Earth's formation.

CAREER STUDY
The Learning App

Q4. What is the atmosphere?

Answer: The atmosphere is the envelope of gases surrounding the Earth, held in place by the Earth's gravitational force.

Q5. Name the major gases present in the atmosphere.

Answer: The major gases are nitrogen (78.08%), oxygen (20.95%), argon (0.93%) and carbon dioxide (approximately 0.04%).

Q6. Which gas is most abundant in the atmosphere?

Answer: Nitrogen is the most abundant gas in the atmosphere, making up approximately 78% of its volume.

Q7. What is the lowest layer of the atmosphere?

Answer: The troposphere is the lowest layer of the atmosphere, extending from the Earth's surface to an average height of about 12 kilometres.

Q8. What is the average height of the troposphere?

Answer: The average height of the troposphere is approximately 12 kilometres, although it varies from about 8 kilometres near the poles to 18 kilometres near the equator.

Q9. What is the stratosphere?

Answer: The stratosphere is the second layer of the atmosphere, located above the troposphere, extending approximately from 12 to 50 kilometres above the Earth's surface.

Q10. In which atmospheric layer is the ozone layer found?

Answer: The ozone layer is mainly found in the stratosphere, where it absorbs most of the harmful ultraviolet radiation from the Sun.

Q11. What is the mesosphere?

Answer: The mesosphere is the third layer of the atmosphere, extending approximately from 50 to 80–85 kilometres above the Earth's surface. Most meteors burn up in this layer.

CAREER STUDY
The Learning App

Q12. What is the ionosphere?

Answer: The ionosphere is a region of the upper atmosphere containing electrically charged particles called ions and free electrons. It plays an important role in radio communication.

Q13. What is the exosphere?

Answer: The exosphere is the outermost layer of the atmosphere, where gases become extremely thin and gradually merge into outer space.

Q14. What is weather?

Answer: Weather refers to the short-term condition of the atmosphere at a particular place and time, including temperature, rainfall, humidity, wind and atmospheric pressure.

Q15. What is climate?

Answer: Climate refers to the average weather conditions of a particular place over a long period, generally 30 years or more.

TWO MARK:

Q1. Define Climatology and explain its nature.

Answer: Climatology is the scientific study of climate, its characteristics, distribution and variations over a long period. It is an important branch of Physical Geography that examines atmospheric conditions and their influence on the natural environment and human activities. It also studies climate change and climatic patterns across different regions.

Q2. Explain the scope of Climatology.

Answer: The scope of Climatology includes the study of temperature, atmospheric pressure, humidity, rainfall, winds and other atmospheric elements. It also examines climate classification, climate change, global warming and the relationship between climate, agriculture, vegetation, human settlement and economic activities.

CAREER STUDY
The Learning App

Q3. Explain the origin of the Earth's atmosphere.

Answer: The Earth's atmosphere developed through several stages. During the early formation of the Earth, gases were released from its interior through volcanic activity, a process known as outgassing. Later, photosynthesis by early organisms increased atmospheric oxygen. Over geological time, these processes helped develop the modern atmosphere.

Q4. What is the composition of the atmosphere?

Answer: The atmosphere is mainly composed of nitrogen (about 78%), oxygen (about 21%), argon (about 0.93%) and carbon dioxide (about 0.04%). It also contains variable amounts of water vapour, dust particles and other trace gases. These components are essential for maintaining life and regulating the Earth's temperature.

Q5. Mention the importance of nitrogen and oxygen in the atmosphere.

Answer: Nitrogen is the most abundant atmospheric gas and plays an important role in the nitrogen cycle, which supports plant growth and living organisms. Oxygen is essential for respiration in most living organisms and supports combustion. Both gases are necessary for maintaining life and ecological balance on Earth.

Q6. What is the structure of the atmosphere?

Answer: The atmosphere is divided into different layers according to changes in temperature with increasing altitude. The main temperature-based layers are the troposphere, stratosphere, mesosphere, thermosphere and exosphere. Each layer has different characteristics, temperature conditions and atmospheric phenomena.

Q7. Describe the main characteristics of the troposphere.

Answer: The troposphere is the lowest layer of the atmosphere, extending from the Earth's surface to an average height of about 12 kilometres. It contains most of the atmospheric water vapour and a large proportion of the total atmospheric mass. Almost all major weather phenomena, such as clouds, rainfall and storms, occur in this layer. Temperature generally decreases with increasing altitude.

Q8. Describe the main characteristics of the stratosphere.

Answer: The stratosphere lies above the troposphere and extends approximately from 12 to 50 kilometres. It contains the ozone layer, which absorbs harmful ultraviolet radiation from the Sun. Temperature generally increases with altitude in this layer because of ozone absorption of solar radiation. The air is relatively stable compared with the troposphere.

Q9. What is the mesosphere? Mention its characteristics.

Answer: The mesosphere is the third temperature-based layer of the atmosphere, extending approximately from 50 to 80–85 kilometres. Temperature decreases with increasing altitude, making its upper

boundary one of the coldest regions of the atmosphere. Most meteors burn up in this layer due to friction and collisions with atmospheric particles.

Q10. Explain the ionosphere and its importance.

Answer: The ionosphere is a region of the upper atmosphere containing electrically charged particles called ions and free electrons. It is mainly produced by the action of solar radiation on atmospheric gases. It plays an important role in radio communication because it can reflect or refract certain radio waves back towards the Earth's surface.

Q11. Write a short note on the exosphere.

Answer: The exosphere is the outermost region of the Earth's atmosphere. It lies above the thermosphere and gradually merges into outer space. The air is extremely thin in this region, and particles such as hydrogen and helium can travel long distances without colliding with other particles. Some artificial satellites orbit within this region.

Q12. Differentiate between weather and climate.

Answer: Weather refers to the short-term condition of the atmosphere at a particular place and time, such as rainfall, temperature, humidity and wind. Climate refers to the long-term average pattern of weather conditions of a region, generally calculated over a period of 30 years or more. Thus, weather changes frequently, while climate describes long-term patterns.

Q13. What are the major elements of weather and climate?

Answer: The major elements of weather and climate are temperature, atmospheric pressure, wind, humidity, precipitation and cloud cover. These elements determine the atmospheric conditions of a particular place. Their variations influence the climate, natural vegetation, agriculture and human activities of different regions.

Q14. What is the importance of the ozone layer?

Answer: The ozone layer is mainly located in the stratosphere and contains a relatively high concentration of ozone gas. It absorbs most of the Sun's harmful ultraviolet radiation and protects living organisms from excessive exposure. It plays an important role in maintaining environmental balance and supporting life on Earth.

Q15. Why is the atmosphere important for life on Earth?

Answer: The atmosphere is essential for life because it provides oxygen for respiration and carbon dioxide for photosynthesis. It regulates the Earth's temperature, protects living organisms from harmful solar radiation and helps maintain the water cycle. It also supports weather and climate processes necessary for ecological balance.

BROAD ANSWER:

Q1. Define Climatology and discuss its nature and scope.

Answer:

CAREER STUDY
The Learning App

Introduction

Climatology is an important branch of Physical Geography that deals with the scientific study of climate and its variations over a long period. It examines the average atmospheric conditions of different regions and explains how climate influences the natural environment and human activities. Climatology helps us understand the distribution of temperature, rainfall, atmospheric pressure, humidity and winds across the Earth.

Meaning of Climatology

The word Climatology is derived from the Greek word Klima, which means slope or inclination of the Earth, and Logos, which means study. Climatology is the systematic study of climate, its characteristics, distribution, classification and changes over time. It studies long-term atmospheric conditions, generally based on a period of 30 years or more.

Nature of Climatology

1. A Branch of Physical Geography: Climatology is an important part of Physical Geography because it studies atmospheric processes and their influence on the Earth's surface. It explains the relationship between the atmosphere, land, water and living organisms.

2. Scientific and Systematic Study: Climatology uses scientific observations, measurements, instruments, statistical methods and modern technologies to study climatic conditions. It helps explain different climatic phenomena through scientific principles.

3. Dynamic Nature: Climate is not completely constant. It changes over time due to natural processes and human activities. Climatology studies both short-term climatic variations and long-term climate change.

4. Interdisciplinary Subject: Climatology is closely related to meteorology, geology, oceanography, agriculture, environmental science and other disciplines. It uses knowledge from these subjects to understand atmospheric processes.

5. Global and Regional Study: Climatology studies climate at different geographical scales, from global climatic patterns to the climatic conditions of particular regions and local areas.

Scope of Climatology

1. Study of Atmospheric Elements: Climatology studies the major elements of climate, such as temperature, atmospheric pressure, humidity, rainfall, wind and cloud cover.

2. Study of Climatic Regions: It examines the distribution of different climatic regions, such as tropical, temperate, desert, Mediterranean and polar climates.

3. Climate Change: It studies changes in global temperature, rainfall patterns, melting glaciers, rising sea levels and other climatic variations.

4. Agriculture and Vegetation: Climate has a direct influence on agricultural production, crop selection, growing seasons and natural vegetation. Climatology helps farmers understand suitable climatic conditions for different crops.

5. Human Activities: It studies the influence of climate on human settlement, transportation, industries, lifestyle and economic activities.

6. Environmental Management: Climatology contributes to environmental protection, water resource management, drought monitoring and disaster preparedness.

7. Weather Forecasting and Climate Prediction: Climatic studies help in understanding atmospheric processes and improving long-term climate projections.

Importance of Climatology

Climatology is important for understanding environmental changes and managing natural resources. It helps governments, scientists, farmers and planners prepare for floods, droughts, cyclones and other climate-related hazards. It also supports sustainable development and environmental conservation.

Q2. Explain the origin and composition of the Earth's atmosphere.

Answer:

Introduction

The atmosphere is the gaseous envelope surrounding the Earth. It is held around the planet by gravitational force and plays an essential role in supporting life. It provides necessary gases, regulates temperature, protects living organisms from harmful solar radiation and supports weather and climate processes. The Earth's atmosphere developed gradually through different geological and biological processes.

Origin of the Earth's Atmosphere

The Earth's atmosphere did not develop in its present form immediately after the formation of the planet. It evolved over billions of years through several stages.

1. Early Atmosphere: During the early formation of the Earth, a temporary atmosphere may have contained light gases such as hydrogen and helium. Much of this early atmosphere was lost because of the Earth's high temperature and the effects of solar radiation and solar wind.

2. Formation of the Secondary Atmosphere: As the Earth cooled, gases were released from its interior through volcanic eruptions and other geological processes. This process is known as volcanic outgassing. The released gases included water vapour, carbon dioxide, nitrogen and other gases.

3. Formation of Oceans: As the Earth's surface cooled, water vapour condensed and produced rainfall. Over a long period, water accumulated in low-lying areas and formed oceans. This reduced the amount of water vapour in the atmosphere.

4. Development of Oxygen: Early photosynthetic organisms, particularly cyanobacteria, began releasing oxygen into the atmosphere. The gradual increase in atmospheric oxygen is associated with the Great Oxidation Event, which began around 2.4 billion years ago.

5. Development of the Modern Atmosphere: Over geological time, biological, chemical and geological processes gradually changed the atmospheric composition. Nitrogen became the most abundant gas, while oxygen increased to a level that supports modern life.

Composition of the Atmosphere

The atmosphere is composed of different gases, water vapour and suspended particles. The major gases are nitrogen, oxygen, argon and carbon dioxide.

1. Nitrogen: Nitrogen forms approximately 78.08% of dry atmospheric air. It is the most abundant gas in the atmosphere. It plays an important role in the nitrogen cycle and supports plant growth through biological nitrogen fixation.

2. Oxygen: Oxygen forms approximately 20.95% of the atmosphere. It is essential for respiration in humans, animals and many other organisms. It also supports combustion and various chemical processes.

3. Argon: Argon accounts for approximately 0.93% of dry air. It is an inert gas and does not normally take part in ordinary chemical reactions.

4. Carbon Dioxide: Carbon dioxide is present in a small quantity, approximately 0.04% of the atmosphere, although its concentration changes over time. It is essential for photosynthesis and also plays an important role in the greenhouse effect.

5. Other Gases: Small quantities of neon, helium, methane, krypton, hydrogen, ozone and other gases are also present in the atmosphere.

6. Water Vapour: Water vapour is a highly variable component of the atmosphere. Its amount changes according to temperature, location and weather conditions. It plays an important role in cloud formation, rainfall and the water cycle.

7. Dust Particles: The atmosphere also contains dust, smoke, sea salt, pollen and other suspended particles. These particles are known as aerosols and help in cloud formation and atmospheric processes.

Importance of Atmospheric Composition

The different gases perform important functions. Oxygen supports respiration, carbon dioxide supports photosynthesis, nitrogen maintains the nitrogen cycle, and water vapour helps in rainfall and cloud formation. Greenhouse gases help maintain the Earth's temperature within a suitable range for life.

Q3. Describe the structure of the atmosphere and explain the characteristics of its different layers.

Answer:

Introduction

The atmosphere is the gaseous envelope surrounding the Earth. It extends thousands of kilometres above the Earth's surface and becomes progressively thinner with increasing altitude. The atmosphere is divided into different layers based mainly on changes in temperature with height. These layers have different characteristics and perform important functions in maintaining the Earth's environmental balance.

Structure of the Atmosphere

On the basis of temperature variation, the atmosphere is generally divided into five major layers: Troposphere, Stratosphere, Mesosphere, Thermosphere and Exosphere. The ionosphere is an electrically charged region that overlaps mainly with parts of the mesosphere and thermosphere.

CAREER STUDY
The Learning App

1. Troposphere

The troposphere is the lowest layer of the atmosphere. It extends from the Earth's surface to an average height of about 12 kilometres. Its height varies according to latitude and season. It reaches approximately 8 kilometres near the poles and about 18 kilometres near the equator.

Most of the atmospheric mass and almost all atmospheric water vapour are concentrated in this layer. All major weather phenomena, such as clouds, rainfall, thunderstorms and storms, occur in the troposphere. Temperature generally decreases with increasing altitude at an average rate of about 6.5°C per kilometre. The upper boundary of this layer is known as the tropopause.

2. Stratosphere

The stratosphere is the second major layer of the atmosphere. It lies above the troposphere and extends approximately from 12 to 50 kilometres above the Earth's surface.

The most important feature of this layer is the presence of the ozone layer, which absorbs most of the harmful ultraviolet radiation from the Sun. Due to the absorption of ultraviolet radiation by ozone, temperature generally increases with altitude in the stratosphere. The air is relatively stable, and there is very little vertical mixing compared with the troposphere. Its upper boundary is called the stratopause.

3. Mesosphere

The mesosphere is the third major temperature-based layer of the atmosphere. It extends approximately from 50 to 80–85 kilometres above the Earth's surface.

In this layer, temperature decreases with increasing altitude. The upper boundary, known as the mesopause, is one of the coldest regions of the Earth's atmosphere. Most meteors entering the Earth's atmosphere burn up in this region because of collisions with atmospheric particles.

4. Thermosphere and Ionosphere

The thermosphere lies above the mesosphere and extends from approximately 80–85 kilometres to several hundred kilometres or more, depending on solar activity.

In this layer, temperature increases significantly with altitude because atmospheric gases absorb high-energy solar radiation. The ionosphere is a region containing electrically charged particles, including ions and free electrons. It overlaps mainly with the mesosphere and thermosphere. It plays an important role in radio communication and the formation of auroras.

5. Exosphere

The exosphere is the outermost layer of the atmosphere. It lies above the thermosphere and gradually merges into outer space. The gases are extremely thin, and particles such as hydrogen and helium can travel long distances without colliding with other particles. Some artificial satellites orbit in this region.

Importance of the Atmospheric Layers

Each atmospheric layer performs an important function. The troposphere supports weather processes, the stratosphere protects life through the ozone layer, the mesosphere helps burn up most incoming meteors, the thermosphere absorbs high-energy solar radiation, and the exosphere forms the transition between the atmosphere and outer space.

Conclusion

The atmosphere has a layered structure, and each layer has distinct temperature conditions and characteristics. These layers collectively protect the Earth, regulate environmental conditions and support life. Knowledge of atmospheric structure is therefore essential for understanding weather, climate and other atmospheric phenomena.

Q4. Explain the characteristics and importance of the troposphere, stratosphere and mesosphere.

Answer:

Introduction

The Earth's atmosphere is divided into different layers according to variations in temperature with altitude. The troposphere, stratosphere and mesosphere are the three lower temperature-defined layers of the atmosphere. Each layer has distinct physical characteristics and plays an important role in maintaining the Earth's environmental conditions.

1. Troposphere

The troposphere is the lowest and most important layer of the atmosphere for human life and weather activities. It extends from the

Earth's surface to an average height of approximately 12 kilometres. Its height is greater in tropical regions and lower in polar regions.

The troposphere contains approximately 75–80% of the total atmospheric mass and almost all atmospheric water vapour. It also contains dust particles and aerosols that help in cloud formation. All major weather phenomena, including rainfall, snowfall, thunderstorms, cyclones and winds, occur mainly in this layer.

One of its major characteristics is that temperature generally decreases with increasing altitude. The average environmental lapse rate is approximately 6.5°C per kilometre, although the actual rate varies with atmospheric conditions. The upper boundary of the troposphere is called the tropopause.

The troposphere is important because it supports the water cycle, provides the air necessary for life and controls daily weather conditions. It also influences agriculture, transportation and human activities.

CAREER STUDY
The Learning App

2. Stratosphere

The stratosphere is the second major layer of the atmosphere. It extends approximately from 12 to 50 kilometres above the Earth's surface. It is located above the troposphere and below the mesosphere.

The most important feature of the stratosphere is the presence of the ozone layer, which is mainly concentrated between approximately 15 and 35 kilometres. Ozone absorbs most of the harmful ultraviolet radiation coming from the Sun and protects living organisms from its damaging effects.

Unlike the troposphere, temperature generally increases with altitude in the stratosphere. This happens because ozone absorbs solar ultraviolet radiation and converts it into heat. The atmosphere is relatively stable in this layer, with less vertical air movement than in the troposphere.

The stratosphere is important for protecting life on Earth. It also plays a role in atmospheric circulation and the movement of ozone. Commercial aircraft sometimes fly in the lower stratosphere or near the tropopause, depending on weather and operational conditions.

3. Mesosphere

The mesosphere is the third major layer of the atmosphere. It extends approximately from 50 to 80–85 kilometres above the Earth's surface. It is located above the stratosphere and below the thermosphere.

In the mesosphere, temperature decreases with increasing altitude. At its upper boundary, known as the mesopause, temperatures can become extremely low, often around −90°C, depending on atmospheric conditions.

One of the important features of the mesosphere is that most meteors burn up in this layer when they enter the Earth's atmosphere. This happens because meteors collide with atmospheric particles and become heated. Some special types of clouds, called noctilucent clouds, also occur in the upper mesosphere.

The mesosphere is important because it helps destroy or break down many small meteoroids before they reach the Earth's surface. It also provides important information about atmospheric circulation and the interaction between different atmospheric layers.

Comparative Characteristics

The troposphere is mainly associated with weather phenomena and contains most atmospheric water vapour. The stratosphere is known for the ozone layer and increasing temperature with altitude. The mesosphere is characterised by decreasing temperature with altitude and the burning of most incoming meteors.

Q5. Differentiate between weather and climate. Explain their major elements and importance.

Answer:

Introduction

Weather and climate are two fundamental concepts in Climatology. Both are related to the condition of the atmosphere, but they differ in terms of time, duration and geographical significance. Weather describes the short-term atmospheric condition of a place, whereas climate explains the long-term average pattern of weather conditions in a region.

Meaning of Weather

Weather refers to the day-to-day or short-term condition of the atmosphere at a particular place and time. It includes atmospheric elements such as temperature, rainfall, humidity, wind, cloud cover and atmospheric pressure.

Weather changes frequently due to the movement of air masses, cyclones, rainfall systems and other atmospheric processes. For example, a particular day in Silchar may be hot and sunny in the morning but cloudy and rainy in the afternoon.

Meaning of Climate

Climate refers to the long-term average pattern of weather conditions in a particular region. It is generally calculated using observations collected over a period of 30 years or more.

Climate describes the usual temperature, rainfall, humidity, wind patterns and seasonal conditions of a region. For example, the climate of Assam is generally characterised by hot and humid summers, heavy monsoon rainfall and relatively cool winters.

Differences between Weather and Climate

Weather	Climate
It refers to short-term atmospheric conditions.	It refers to long-term average weather conditions.

It changes frequently.	It changes gradually over a long period.
It is studied for hours, days or weeks.	It is generally studied over 30 years or more.
It describes the condition of a particular place at a particular time.	It describes the general climatic pattern of a region.
It is mainly studied in Meteorology.	It is mainly studied in Climatology.
Example: Rainfall today in Silchar.	Example: Humid monsoon climate of Assam.

Major Elements of Weather and Climate

1. Temperature: Temperature refers to the degree of hotness or coldness of the atmosphere. It is influenced by latitude, altitude, distance from the sea and solar radiation. It plays an important role in determining climatic conditions.

2. Atmospheric Pressure: Atmospheric pressure is the force exerted by the weight of air on the Earth's surface. Differences in atmospheric pressure cause air to move from high-pressure areas towards low-pressure areas, producing winds.

3. Wind: Wind refers to the horizontal movement of air from high-pressure areas to low-pressure areas. It influences temperature, humidity, rainfall and the distribution of heat across the Earth's surface.

4. Humidity: Humidity refers to the amount of water vapour present in the atmosphere. It influences cloud formation, rainfall and the feeling of comfort or discomfort in different climatic conditions.

5. Precipitation: Precipitation refers to water falling from the atmosphere to the Earth's surface in different forms, such as rain, snow, sleet and hail. It is essential for agriculture, water resources and natural vegetation.

6. Cloud Cover: Clouds are formed by the condensation of water vapour in the atmosphere. They influence the amount of solar radiation reaching the Earth's surface and affect rainfall and temperature conditions.

Importance of Weather and Climate

Weather information is essential for daily activities, transportation, agriculture, fishing and disaster preparedness. Weather forecasts help people prepare for rainfall, storms, cyclones and extreme temperatures.

Climate is important for understanding the natural vegetation, agricultural patterns, water resources and settlement distribution of different regions. It also helps in long-term planning, environmental conservation and the study of climate change.

CAREER STUDY
The Learning App

UNIT – 2

ONE MARK:

Q1. What is insolation?

Answer: Insolation refers to the incoming solar radiation received by the Earth's surface and atmosphere from the Sun.

Q2. What is the heat budget of the Earth?

Answer: The heat budget refers to the balance between the incoming solar radiation received by the Earth and the outgoing terrestrial radiation released back into space.

Q3. What is temperature inversion?

Answer: Temperature inversion is an atmospheric condition in which temperature increases with increasing altitude instead of decreasing normally.

Q4. What is the vertical distribution of temperature?

Answer: Vertical distribution of temperature refers to the variation of atmospheric temperature with increasing altitude above the Earth's surface.

Q5. Which instrument is used to measure atmospheric temperature?

Answer: A thermometer is used to measure atmospheric temperature.

Q6. What is atmospheric pressure?

Answer: Atmospheric pressure is the force exerted by the weight of the air on a unit area of the Earth's surface.

Q7. What is the normal unit of atmospheric pressure?

Answer: Atmospheric pressure is commonly measured in millibars (mb) or hectopascals (hPa).

Q8. What are planetary winds?

Answer: Planetary winds are permanent winds that blow throughout the year in a particular direction over large areas of the Earth.

Q9. Name the three major planetary wind systems.

Answer: The three major planetary wind systems are Trade Winds, Westerlies and Polar Easterlies.

Q10. What is the Coriolis force?

Answer: The Coriolis force is the apparent deflecting force caused by the Earth's rotation, which deflects moving air to the right in the Northern Hemisphere and to the left in the Southern Hemisphere.

Q11. What are Jet Streams?

Answer: Jet Streams are narrow bands of very strong winds blowing at high altitudes, generally near the tropopause, from west to east.

Q12. What is atmospheric moisture?

Answer: Atmospheric moisture refers to the water vapour present in the atmosphere, which plays an important role in cloud formation and precipitation.

CAREER STUDY
The Learning App

Q13. What is relative humidity?

Answer: Relative humidity is the ratio of the actual amount of water vapour present in the air to the maximum amount it can hold at the same temperature, expressed as a percentage.

Q14. Who developed the Köppen climatic classification?

Answer: Wladimir Köppen, a German climatologist, developed the Köppen climatic classification system.

Q15. Who developed the Thornthwaite climatic classification?

Answer: C. Warren Thornthwaite developed the Thornthwaite climatic classification system, first published in 1931 and later revised in 1948.

TWO MARK:

Q1. What is insolation? Mention the factors affecting insolation.

Answer: Insolation refers to the incoming solar radiation received by the Earth from the Sun. The amount of insolation received at a particular place depends on latitude, angle of incidence of sunlight, length of the day, atmospheric conditions and distance between the Earth and the Sun. It is the primary source of energy for the Earth's atmosphere.

Q2. What is the heat budget of the Earth?

Answer: The heat budget refers to the balance between incoming solar radiation and outgoing terrestrial radiation. The Earth receives energy from the Sun and releases energy back into space. On a global annual average, the incoming and outgoing energy are approximately balanced. This balance helps maintain the Earth's average temperature and supports climatic conditions.

Q3. Differentiate between horizontal and vertical distribution of temperature.

Answer: Horizontal distribution of temperature refers to the variation of temperature from one place to another across the Earth's surface, mainly influenced by latitude, altitude, ocean currents and distance from the sea. Vertical distribution refers to the change in temperature with increasing altitude in the atmosphere. Normally, temperature decreases with height in the troposphere.

Q4. What is temperature inversion? Mention its causes.

Answer: Temperature inversion is a condition in which temperature increases with increasing altitude instead of decreasing normally. It commonly occurs during long winter nights, clear skies and calm wind conditions when the Earth's surface loses heat rapidly. It may also develop in valleys due to the downward movement of cold, dense air.

Q5. What is atmospheric pressure? Mention the factors affecting it.

Answer: Atmospheric pressure is the force exerted by the weight of the air on a unit area of the Earth's surface. It is measured in millibars

or hectopascals. The major factors affecting atmospheric pressure are temperature, altitude and humidity. Generally, pressure decreases with increasing altitude.

Q6. What are planetary winds? Name their major types.

Answer: Planetary winds are permanent winds that blow throughout the year in relatively fixed directions over large areas of the Earth. They are produced mainly by global pressure belts and the Earth's rotation. The three major types are Trade Winds, Westerlies and Polar Easterlies.

Q7. Explain the Trade Winds.

Answer: Trade Winds are permanent winds that blow from the subtropical high-pressure belts towards the equatorial low-pressure belt. In the Northern Hemisphere, they blow from the northeast, while in the Southern Hemisphere, they blow from the southeast. They are important for tropical weather and ocean circulation.

Q8. What are the forces affecting wind movement?

Answer: The major forces affecting wind movement are the pressure gradient force, Coriolis force and frictional force. The pressure gradient force moves air from high-pressure areas towards low-pressure areas. The Coriolis force deflects moving air due to Earth's rotation, while friction slows down wind movement near the Earth's surface.

Q9. What is the Coriolis force? Explain its effect on winds.

Answer: The Coriolis force is an apparent force caused by the rotation of the Earth. It deflects moving winds to the right in the Northern Hemisphere and to the left in the Southern Hemisphere. Its effect is zero at the Equator and increases towards the poles. It plays an important role in global wind circulation.

Q10. What is general atmospheric circulation?

Answer: General atmospheric circulation refers to the large-scale movement of air across the Earth. It is mainly caused by unequal

heating of the Earth's surface and differences in atmospheric pressure. It involves major pressure belts, planetary winds and vertical air movements, helping distribute heat and moisture across the globe.

Q11. What are Jet Streams? Mention their importance.

Answer: Jet Streams are narrow bands of very strong winds found in the upper troposphere, generally near the tropopause. They usually flow from west to east at high speeds. They influence weather systems, cyclones, monsoon circulation and the movement of air masses. They are important for understanding global atmospheric circulation.

Q12. What is atmospheric moisture? Mention its forms.

Answer: Atmospheric moisture refers to the water vapour present in the atmosphere. It occurs in different forms, such as water vapour, clouds, fog, dew, frost and precipitation. Atmospheric moisture plays an important role in the water cycle, cloud formation, rainfall and the regulation of temperature.

CAREER STUDY
The Learning App

Q13. What is relative humidity? How is it expressed?

Answer: Relative humidity is the ratio of the actual amount of water vapour present in the air to the maximum amount it can hold at the same temperature. It is expressed as a percentage. High relative humidity indicates that the air contains a large amount of moisture compared with its capacity.

Q14. Explain Köppen's climatic classification.

Answer: Köppen's climatic classification was developed by German climatologist Wladimir Köppen. It is based mainly on temperature, precipitation and the distribution of natural vegetation. It divides the world's climates into five major groups: Tropical (A), Dry (B), Temperate (C), Continental (D) and Polar (E).

Q15. Explain Thornthwaite's climatic classification.

Answer: Thornthwaite's climatic classification was developed by C. W. Thornthwaite. It is mainly based on precipitation effectiveness,

potential evapotranspiration and water balance. It considers the relationship between moisture availability and plant growth. It is useful for studying climatic conditions, agricultural suitability and water requirements.

BROAD ANSWER:

Q1. What is Insolation? Explain the Heat Budget and Heat Balance of the Earth.

Answer:

Introduction

Insolation refers to the incoming solar radiation received by the Earth from the Sun. The Sun is the primary source of energy for the Earth's atmosphere, land and oceans. Solar energy controls atmospheric temperature, winds, rainfall and other climatic conditions. The distribution of insolation is not uniform across the Earth because of differences in latitude, seasons, duration of sunshine and atmospheric conditions.

Meaning of Insolation

The term insolation is derived from the words "incoming solar radiation". It is the amount of solar energy received by the Earth per unit area. The intensity of insolation varies from place to place and from season to season. The equatorial regions generally receive more direct solar radiation than the polar regions because the Sun's rays fall more vertically near the Equator.

Factors Affecting Insolation

Several factors influence the amount of insolation received by the Earth's surface.

1. Angle of Incidence: When the Sun's rays fall vertically, solar energy is concentrated over a smaller area. When the rays fall

obliquely, the same energy spreads over a larger area. Therefore, vertical rays produce greater heating.

2. Duration of Sunshine: Places receiving longer hours of sunshine generally receive more solar energy than places with shorter daylight hours.

3. Distance between the Earth and the Sun: The Earth's distance from the Sun changes slightly during its revolution. However, this factor has less influence on seasonal temperature differences than the tilt of the Earth's axis.

4. Atmospheric Conditions: Clouds, dust, water vapour and other particles absorb, reflect and scatter solar radiation. Therefore, clear skies generally allow more direct solar energy to reach the surface.

5. Latitude and Seasons: Low latitudes receive more direct solar radiation throughout the year, while high latitudes experience greater seasonal variations.

CAREER STUDY
The Learning App

Heat Budget of the Earth

The heat budget refers to the balance between the incoming solar radiation received by the Earth and the outgoing energy released back into space. The Earth receives energy mainly in the form of shortwave solar radiation and loses energy through longwave terrestrial radiation.

Approximately 100 units of incoming solar radiation are considered in the global heat-budget model. Out of these, around 30 units are reflected back into space by clouds, the atmosphere and the Earth's surface. About 70 units are absorbed by the atmosphere and the Earth's surface. The absorbed energy is eventually returned to space through terrestrial radiation and other energy-transfer processes.

This balance maintains the Earth's average temperature over a long period. If the Earth received more energy than it lost, its average temperature would increase. If it lost more energy than it received, its average temperature would decrease.

Heat Balance of the Earth

Heat balance refers to the condition in which the amount of incoming energy and outgoing energy remains approximately equal over the long term. However, heat is not equally distributed across the Earth. Tropical regions receive more solar energy than they lose, whereas polar regions lose more energy than they receive. Atmospheric circulation and ocean currents transfer excess heat from lower latitudes towards higher latitudes.

Importance of Heat Budget

The heat budget maintains the Earth's average temperature and makes life possible. It controls global atmospheric circulation, influences ocean currents and helps determine climatic zones. It also plays an important role in maintaining the balance of the Earth's climate system.

Q2. Explain the Horizontal and Vertical Distribution of Atmospheric Temperature. What is Temperature Inversion?

Answer:

Introduction

Atmospheric temperature refers to the degree of hotness or coldness of the air. It is mainly influenced by solar radiation received by the Earth's surface. Temperature varies from place to place horizontally and also changes with altitude vertically. The distribution of temperature plays an important role in determining atmospheric pressure, winds, rainfall and climatic conditions.

Horizontal Distribution of Temperature

Horizontal distribution refers to the variation of temperature across different places on the Earth's surface at the same altitude. It is generally represented through lines called isotherms. Isotherms are imaginary lines joining places having equal temperatures.

The horizontal distribution of temperature is influenced by several factors.

1. Latitude: Latitude is one of the most important factors affecting temperature. Equatorial regions receive more direct solar radiation and generally experience higher temperatures. Polar regions receive oblique rays and remain comparatively colder.

2. Distribution of Land and Water: Land heats up and cools down more quickly than water. Therefore, coastal regions generally experience moderate temperatures, while continental interiors experience greater temperature variations.

3. Ocean Currents: Warm ocean currents increase the temperature of nearby coastal regions, whereas cold ocean currents reduce temperatures. These currents influence the climatic conditions of coastal areas.

4. Prevailing Winds: Winds transfer heat from one region to another. Warm winds increase temperature, while cold winds reduce it.

5. Altitude and Relief: Mountain ranges and differences in elevation influence local temperature patterns. Higher regions are generally cooler than lower regions.

6. Cloud Cover: Clouds reduce daytime heating by reflecting solar radiation and reduce nighttime cooling by absorbing and re-emitting terrestrial radiation.

Vertical Distribution of Temperature

Vertical distribution refers to the variation of atmospheric temperature with increasing altitude. Under normal conditions, temperature decreases with height in the troposphere. The average environmental lapse rate is approximately 6.5°C per kilometre.

The vertical temperature pattern varies in different atmospheric layers.

In the Troposphere, temperature generally decreases with height because the Earth's surface is the main source of heating for the lower atmosphere.

In the Stratosphere, temperature increases with altitude because ozone absorbs ultraviolet radiation from the Sun.

In the Mesosphere, temperature again decreases with increasing height and reaches very low values near the mesopause.

In the Thermosphere, temperature increases considerably with altitude due to the absorption of high-energy solar radiation.

Temperature Inversion

Temperature inversion is a condition in which the normal temperature pattern is reversed. Instead of decreasing with height, temperature increases with altitude within a particular layer of the atmosphere.

Under normal conditions, warm air is found near the Earth's surface and cooler air above it. During temperature inversion, a layer of warmer air lies above cooler air near the ground. This condition restricts the vertical movement of air.

CAREER STUDY
The Learning App

Causes of Temperature Inversion

1. Radiation Inversion: It occurs during clear and calm nights when the Earth's surface loses heat rapidly through radiation. The air near the ground becomes colder than the air above it.

2. Valley Inversion: During cold nights, dense cold air flows down mountain slopes and collects in valleys. As a result, valley floors become colder than surrounding slopes.

3. Subsidence Inversion: It develops when air descends from higher atmospheric levels and becomes warmer due to compression. This creates a warmer layer above cooler air.

4. Frontal Inversion: It occurs when warm air moves over a mass of colder air along a weather front.

Effects of Temperature Inversion

Temperature inversion prevents normal vertical air circulation and may trap smoke, dust and pollutants near the ground. It can cause fog formation, poor visibility and increased air pollution. In mountainous regions, valleys may experience colder conditions than nearby slopes.

Q3. What is Atmospheric Pressure? Explain the Forces Affecting Winds and General Atmospheric Circulation.

Answer:

Introduction

Atmospheric pressure is the force exerted by the weight of air on the Earth's surface. It is an important element of weather and climate. Differences in atmospheric pressure create pressure gradients, which cause air to move from high-pressure areas towards low-pressure areas. This movement of air is known as wind. Atmospheric pressure and wind circulation influence rainfall, storms and global climatic conditions.

CAREER STUDY
The Learning App

Meaning of Atmospheric Pressure

Atmospheric pressure refers to the weight of the column of air exerted on a unit area of the Earth's surface. It is generally measured in millibars (mb) or hectopascals (hPa). The average atmospheric pressure at sea level is approximately 1013.25 hPa.

Atmospheric pressure generally decreases with increasing altitude because the amount of air above a place becomes smaller. It is also influenced by temperature and humidity. Warm air generally becomes less dense and tends to rise, while cold and dense air tends to sink.

Major Pressure Belts of the Earth

There are seven major pressure belts distributed across the Earth.

1. Equatorial Low-Pressure Belt: It is located around the Equator. Strong solar heating causes warm air to rise, creating low pressure.

2. Subtropical High-Pressure Belts: These are located around 30° North and South. Air descends in these regions, creating high pressure.

3. Subpolar Low-Pressure Belts: These are found around 60° North and South, where warm westerlies meet cold polar easterlies.

4. Polar High-Pressure Belts: These occur near the North and South Poles because extremely cold and dense air descends.

Forces Affecting Winds

The movement and direction of winds are controlled by several forces.

1. Pressure Gradient Force: It is the force responsible for moving air from high-pressure areas towards low-pressure areas. A steep pressure gradient produces stronger winds.

2. Coriolis Force: It is an apparent force caused by the Earth's rotation. It deflects moving air to the right in the Northern Hemisphere and to the left in the Southern Hemisphere. It is zero at the Equator and increases towards the poles.

3. Frictional Force: Friction occurs between moving air and the Earth's surface. It reduces wind speed and influences wind direction, especially in the lower atmosphere.

4. Centrifugal Force: It acts on air moving along a curved path and influences the direction of winds around pressure systems.

General Atmospheric Circulation

General atmospheric circulation refers to the large-scale movement of air around the Earth. It develops mainly because of unequal heating between the Equator and the Poles and the rotation of the Earth.

The general circulation is commonly explained through the three-cell model in each hemisphere.

1. Hadley Cell: It operates between the Equator and approximately 30° latitude. Warm air rises near the Equator, moves towards higher

latitudes in the upper atmosphere, and descends around 30°. This circulation helps produce trade winds.

2. Ferrel Cell: It operates approximately between 30° and 60° latitude. It is an indirect circulation cell influenced by the Hadley and Polar cells and the movement of weather systems.

3. Polar Cell: It operates between approximately 60° latitude and the Poles. Cold air descends near the Poles and moves towards lower latitudes near the surface.

These circulation cells help distribute heat and moisture across the Earth. They also influence the formation of pressure belts, planetary winds and rainfall patterns.

Importance of Atmospheric Circulation

Atmospheric circulation helps maintain the Earth's heat balance by transferring energy from tropical regions towards the Poles. It influences monsoon systems, rainfall distribution, deserts and storm formation. It also plays an important role in determining regional and global climates.

CAREER STUDY
The Learning App

Q4. Explain the Planetary Winds and Jet Streams with Their Characteristics and Importance.

Answer:

Introduction

Winds are the horizontal movement of air from high-pressure regions towards low-pressure regions. They are an important component of atmospheric circulation. Based on their nature and distribution, winds are classified into different categories. Planetary winds are permanent or prevailing winds that blow in particular directions over large areas of the Earth. Jet streams are narrow bands of very fast-moving winds found in the upper atmosphere.

Planetary Winds

Planetary winds are large-scale prevailing winds that blow regularly throughout the year, although their position and strength may change seasonally. They are mainly associated with the global pressure belts and the rotation of the Earth.

There are three major types of planetary winds.

1. Trade Winds

Trade winds blow from the subtropical high-pressure belts towards the equatorial low-pressure belt. Due to the Coriolis force, they are deflected to the right in the Northern Hemisphere and to the left in the Southern Hemisphere.

In the Northern Hemisphere, they are known as Northeast Trade Winds, while in the Southern Hemisphere, they are known as Southeast Trade Winds. These winds generally blow from east to west and are important in tropical weather systems.

Trade winds also influence ocean currents and help transport moisture towards equatorial regions.

CAREER STUDY
The Learning App

2. Westerlies

Westerlies blow from the subtropical high-pressure belts towards the subpolar low-pressure belts. They generally move from west to east.

In the Northern Hemisphere, they are known as the Southwesterlies, while in the Southern Hemisphere, they are generally known as the Northwesterlies. The westerlies are particularly strong and more regular in the Southern Hemisphere because there are fewer large land barriers.

These winds influence the weather conditions of the middle latitudes and help move cyclones and weather systems from west to east.

3. Polar Easterlies

Polar easterlies originate from the polar high-pressure belts and blow towards the subpolar low-pressure belts. They generally move from east to west.

These winds are cold and dry because they originate in the polar regions. They meet the warmer westerlies near the subpolar low-pressure belts, creating conditions favourable for the formation of polar fronts and cyclonic systems.

Jet Streams

Jet streams are narrow bands of very strong winds that blow in the upper troposphere, generally near the tropopause. They are usually found at altitudes of approximately 9–16 kilometres, although their height varies with latitude and season.

Jet streams generally flow from west to east and have very high wind speeds. Their paths are often wavy rather than completely straight. They develop mainly because of temperature differences between air masses and the Earth's rotation.

Major Types of Jet Streams

1. Polar Front Jet Stream: It is generally found around 50°–60° latitude in both hemispheres. It develops due to strong temperature differences between cold polar air and warmer middle-latitude air.

2. Subtropical Jet Stream: It is generally located around 25°–35° latitude. It is associated with the circulation of the Hadley and Ferrel cells and is commonly found in the upper troposphere.

Importance of Jet Streams

Jet streams play an important role in controlling atmospheric circulation and weather conditions. They influence the movement and development of cyclones, anticyclones and weather fronts. Their changing position and strength can affect rainfall and temperature patterns.

In South Asia, the subtropical westerly jet stream and the tropical easterly jet stream are important in understanding seasonal circulation and the Indian summer monsoon. Jet streams are also important for aviation because aircraft can save time and fuel by using favourable high-speed winds.

Q5. Explain Atmospheric Moisture and Discuss the Climatic Classification Systems of Köppen and Thornthwaite.

Answer:

Introduction

Atmospheric moisture refers to the amount of water vapour present in the atmosphere. It is an essential element of weather and climate because it influences humidity, cloud formation, rainfall and temperature. The distribution of atmospheric moisture varies from place to place. Climatic classification systems help us divide the world into different climatic regions based on temperature, rainfall and other climatic characteristics. Two important systems are the Köppen and Thornthwaite classifications.

Atmospheric Moisture

Water vapour enters the atmosphere mainly through evaporation from oceans, rivers, lakes and other water bodies, as well as through transpiration from plants. The amount of moisture present in the atmosphere is known as humidity.

There are different ways of measuring atmospheric moisture.

1. Absolute Humidity: It refers to the actual mass of water vapour present in a unit volume of air. It is generally expressed in grams per cubic metre.

2. Specific Humidity: It refers to the mass of water vapour present per unit mass of moist air. It is commonly expressed in grams per kilogram.

3. Relative Humidity: It is the ratio between the actual amount of water vapour present in the air and the maximum amount the air can hold at the same temperature, expressed as a percentage.

Relative Humidity = (Actual Water Vapour Pressure / Saturation Water Vapour Pressure) × 100

Forms of Atmospheric Moisture

Atmospheric moisture appears in different forms through the processes of evaporation, condensation and precipitation.

1. Evaporation: It is the process through which liquid water changes into water vapour due to heat.

2. Condensation: It is the process by which water vapour changes into tiny liquid water droplets when the air cools to its dew point.

3. Clouds: Clouds are formed when water vapour condenses into tiny water droplets or ice crystals in the atmosphere.

4. Fog: Fog is a cloud formed near the Earth's surface that reduces horizontal visibility.

5. Dew and Frost: Dew forms when water vapour condenses on cool surfaces. Frost develops when water vapour changes into ice crystals on surfaces under sufficiently cold conditions.

6. Precipitation: It refers to water falling from the atmosphere to the Earth's surface in the form of rain, snow, sleet or hail.

CAREER STUDY
The Learning App

Köppen's Climatic Classification

The Köppen climatic classification was developed by German climatologist Wladimir Köppen. It was first introduced in 1884 and later revised. This system is mainly based on temperature, precipitation and the natural distribution of vegetation.

Köppen divided the world's climates into five major groups.

1. Group A – Tropical Climates: These climates are found in regions with high temperatures throughout the year and generally high rainfall. Examples include equatorial regions.

2. Group B – Dry Climates: These climates receive less precipitation than the amount required to balance potential evaporation. Deserts and semi-arid regions are included in this group.

3. Group C – Temperate Climates: These climates generally have mild winters and moderate to warm summers.

4. Group D – Continental Climates: These climates are mainly found in the interiors of large continents in the Northern Hemisphere. They generally experience cold winters and warm summers.

5. Group E – Polar Climates: These climates are characterised by extremely low temperatures. They include tundra and ice-cap climates.

The Köppen system is widely used because it is simple and connects climatic conditions with natural vegetation.

Thornthwaite's Climatic Classification

The Thornthwaite climatic classification was developed by American climatologist C. W. Thornthwaite. His system was first introduced in 1931 and revised in 1948.

Unlike Köppen's system, Thornthwaite placed greater emphasis on potential evapotranspiration and the water balance of a region. Potential evapotranspiration refers to the amount of water that could evaporate and be transpired under sufficient water availability.

Thornthwaite used moisture availability, water surplus, water deficiency and thermal efficiency to classify climates. His system identifies different moisture conditions, ranging from humid to arid climates, and also considers the thermal characteristics of different regions.

This classification is particularly useful in agricultural planning, irrigation management, water-resource studies and understanding soil moisture conditions.

CAREER STUDY
The Learning App

UNIT – 3

ONE MARK:

Q1. What is an air mass?
Answer: An air mass is a large body of air having nearly uniform temperature and humidity characteristics over a particular area.

Q2. What is the source region of an air mass?
Answer: A source region is the area over which an air mass develops and acquires its temperature and moisture characteristics.

Q3. Name the two main classifications of air masses based on moisture.
Answer: Continental (c) and Maritime (m) air masses.

Q4. What is a continental air mass?
Answer: A continental air mass develops over land and is generally dry.

Q5. What is a maritime air mass?
Answer: A maritime air mass develops over oceans and is generally moist.

CAREER STUDY
The Learning App

Q6. What is a front?
Answer: A front is the boundary or transition zone separating two air masses with different temperature and density characteristics.

Q7. What is frontogenesis?
Answer: Frontogenesis is the process of formation or strengthening of an atmospheric front.

Q8. What is frontolysis?
Answer: Frontolysis is the process of weakening or disappearance of an atmospheric front.

Q9. What is a cyclone?
Answer: A cyclone is a low-pressure system in which winds generally move towards the centre and rise.

Q10. What is an anticyclone?
Answer: An anticyclone is a high-pressure system in which air generally descends and winds move outward from the centre.

Q11. What is a tropical cyclone?
Answer: A tropical cyclone is an intense low-pressure storm that develops over warm tropical oceans and produces strong winds and heavy rainfall.

Q12. What is an extra-tropical cyclone?
Answer: An extra-tropical cyclone is a low-pressure weather system that develops mainly in the middle and high latitudes along fronts.

Q13. What is the eye of a tropical cyclone?
Answer: The eye is the relatively calm central region of a tropical cyclone, usually surrounded by the eyewall.

Q14. What is a monsoon?
Answer: A monsoon is a seasonal reversal of prevailing wind direction, generally associated with seasonal changes in rainfall.

Q15. What is the main cause of the Indian summer monsoon?
Answer: The Indian summer monsoon is mainly caused by seasonal differential heating of land and sea, along with large-scale atmospheric circulation and other regional factors.

TWO MARK:

Q1. What is an air mass? Mention its main characteristics.

Answer: An air mass is a large body of air that has nearly uniform temperature and humidity throughout its horizontal extent. It develops over a large and relatively uniform surface area, such as oceans, deserts or snow-covered regions. Its main characteristics are temperature, moisture content and stability.

Q2. What is a source region of an air mass? Give two examples.

Answer: A source region is a large geographical area where an air mass develops and acquires its temperature and moisture characteristics. It usually has uniform surface conditions and weak winds. Examples include the Sahara Desert, which produces hot and dry air masses, and the North Atlantic Ocean, which produces moist maritime air masses.

Q3. Classify air masses on the basis of temperature and moisture.

Answer: Air masses are classified according to their source regions and physical characteristics. Based on moisture, they are divided into continental (c), which are generally dry, and maritime (m), which are moist. Based on temperature, they may be classified as Arctic (A), Polar (P) and Tropical (T). These classifications are combined, such as cP, mP, cT and mT.

Q4. Differentiate between continental and maritime air masses.

Answer: Continental air masses develop over land surfaces and generally contain less moisture. Therefore, they are usually dry. Maritime air masses develop over oceans and seas and contain more water vapour. Therefore, they are generally moist. Continental polar air is cold and dry, whereas maritime tropical air is warm and humid.

Q5. What is a front? Mention its major types.

Answer: A front is the boundary or transition zone separating two air masses having different temperature, humidity and density characteristics. Fronts are important because they produce changes in weather conditions. The four major types are cold front, warm front, stationary front and occluded front.

Q6. What is frontogenesis? Mention its causes.

Answer: Frontogenesis is the process of formation or strengthening of an atmospheric front. It occurs when two air masses with contrasting temperatures and densities come together. Convergence of air, wind movement and deformation of air masses can also contribute to front formation.

Q7. What is frontolysis?

Answer: Frontolysis is the process of weakening or disappearance of an atmospheric front. It occurs when the temperature contrast between two air masses decreases. Mixing of air, changes in wind direction and atmospheric conditions may contribute to the weakening of a front.

Q8. Differentiate between a cyclone and an anticyclone.

Answer: A cyclone is a low-pressure system in which winds generally move towards the centre and air rises. It is commonly associated with cloudy weather, rainfall and storms. An anticyclone is a high-pressure system in which air generally descends and winds move outward from the centre. It usually produces stable and clear weather.

Q9. What is a tropical cyclone? Mention its main characteristics.

Answer: A tropical cyclone is an intense low-pressure storm that develops over warm tropical oceans. It is characterised by strong rotating winds, heavy rainfall, thunderstorms and a central eye. It receives energy mainly from the release of latent heat during the condensation of water vapour.

CAREER STUDY
The Learning App

Q10. What is an extra-tropical cyclone?

Answer: An extra-tropical cyclone is a low-pressure weather system that develops mainly in the middle and high latitudes. It is generally associated with warm and cold fronts. These cyclones develop due to temperature differences between contrasting air masses and can produce widespread rainfall, snowfall and strong winds.

Q11. Mention two differences between tropical and extra-tropical cyclones.

Answer: Tropical cyclones develop over warm tropical oceans and derive their energy mainly from latent heat released during condensation. Extra-tropical cyclones develop mainly in middle and high latitudes due to temperature contrasts between air masses.

Tropical cyclones generally have a warm core, while extra-tropical cyclones usually have a cold core and are associated with fronts.

Q12. What is an anticyclone? Mention its weather conditions.

Answer: An anticyclone is a high-pressure system characterised by descending air and outward movement of winds near the Earth's surface. It generally produces clear skies, light winds and stable atmospheric conditions. During winter, anticyclones may cause cold and foggy conditions in some regions.

Q13. What is a monsoon? Why does it occur?

Answer: A monsoon is a seasonal reversal of prevailing wind direction, usually accompanied by seasonal changes in rainfall. It occurs mainly because of the differential heating and cooling of land and sea. Seasonal shifts in pressure belts, the movement of the Inter-Tropical Convergence Zone (ITCZ) and large-scale atmospheric circulation also influence monsoon development.

Q14. Explain the mechanism of the Indian summer monsoon briefly.

Answer: During summer, the Indian subcontinent heats up more rapidly than the surrounding ocean, creating a low-pressure area over northwestern India and adjoining regions. Moisture-laden southwesterly winds from the Arabian Sea and Bay of Bengal move towards the land. These winds bring widespread rainfall across India, especially during the southwest monsoon season.

Q15. Mention the major effects of the monsoon.

Answer: The monsoon plays an important role in agriculture, water supply, hydroelectric power generation and the economy of India. Good monsoon rainfall supports crop production and replenishes rivers, lakes and groundwater. However, excessive rainfall may cause floods, landslides and soil erosion, while insufficient rainfall may lead to drought and agricultural losses.

BROAD ANSWER:

Q1. What is an Air Mass? Explain its Origin, Classification and Characteristics.

Answer:

Introduction

An air mass is a large body of air that has nearly uniform temperature and moisture characteristics over a wide geographical area. Air masses play an important role in determining the weather and climatic conditions of different regions. They develop over large areas of land or water and acquire the physical characteristics of their source regions.

Origin of Air Masses

Air masses originate over large and uniform surface areas known as source regions. These regions may include oceans, deserts, plains, snow-covered lands and polar areas. When air remains over a particular region for a long period, it gradually acquires the temperature and moisture characteristics of that surface.

For example, air developing over a hot desert becomes warm and dry, whereas air developing over a tropical ocean becomes warm and moist. Weak winds and stable atmospheric conditions favour the formation of air masses because they allow the air to remain over the same surface for a considerable period.

Classification of Air Masses

Air masses are mainly classified according to their source regions, temperature and moisture content.

1. Continental Tropical (cT): These air masses develop over tropical land areas, particularly deserts. They are characterised by high temperatures and low moisture content. They generally produce hot and dry weather.

2. Maritime Tropical (mT): These air masses develop over warm tropical oceans. They are warm and contain a large amount of moisture. They often bring humid weather, clouds and rainfall.

3. Continental Polar (cP): These air masses develop over cold continental regions. They are generally cold and dry and may produce cold weather when they move into warmer regions.

4. Maritime Polar (mP): These air masses develop over cold oceans. They are generally cold and moist and may produce cloudy conditions and precipitation.

5. Arctic and Antarctic Air Masses: These air masses originate in the extremely cold polar regions. They are very cold and generally have low moisture content.

Characteristics of Air Masses

Air masses have several important characteristics. First, they possess relatively uniform temperature and humidity over large horizontal areas. Second, their characteristics depend on the nature of their source regions. Third, they may become warmer, colder, wetter or drier when they move over different surfaces. Fourth, their stability determines whether they produce calm weather or atmospheric disturbances.

CAREER STUDY
The Learning App

Air masses also influence the formation of clouds, rainfall, snowfall and storms. Their interaction with other air masses may produce fronts and cyclonic weather systems.

Importance of Air Masses

Air masses are important because they control the weather conditions of different geographical regions. They influence temperature, humidity, rainfall and wind patterns. The movement of cold and warm air masses can cause sudden weather changes. They are also essential for understanding the formation of fronts and extra-tropical cyclones.

Q2. What is a Front? Explain the Different Types of Fronts, Frontogenesis and Frontolysis.

Answer:

Introduction

A front is a boundary or transition zone separating two air masses having different temperature, humidity and density characteristics. Fronts are important features of atmospheric circulation because they are associated with changes in weather conditions. They commonly produce clouds, rainfall, thunderstorms and other atmospheric disturbances.

Meaning of Front

When two different air masses meet, they do not mix immediately because of differences in their temperature and density. Instead, a boundary develops between them, which is known as a front. The warmer air is generally lighter and tends to rise above the colder and denser air.

Types of Fronts

There are four major types of atmospheric fronts.

1. Cold Front: A cold front develops when a cold air mass advances towards a warm air mass. The cold and dense air moves beneath the warm air and forces it to rise rapidly. This may produce heavy rainfall, thunderstorms and strong winds. After the passage of a cold front, temperature generally decreases.

2. Warm Front: A warm front develops when a warm air mass advances towards a colder air mass. The warm air gradually rises over the colder and denser air. It generally produces widespread clouds and continuous light to moderate rainfall. After its passage, temperature usually increases.

3. Stationary Front: A stationary front develops when two air masses meet but neither advances significantly. The boundary remains almost stationary for some time. It may produce cloudy weather and prolonged rainfall.

4. Occluded Front: An occluded front develops when a faster-moving cold front catches up with a warm front. The warm air is lifted above

the ground, while colder air masses occupy the surface. Occluded fronts are commonly associated with mature extra-tropical cyclones.

Frontogenesis

Frontogenesis refers to the process of formation or strengthening of an atmospheric front. It occurs when two air masses with contrasting temperature and density characteristics come together. It may also occur due to changes in wind direction and the convergence of air.

For example, when cold polar air meets warm tropical air in middle latitudes, a frontal boundary may develop. This process is important in the formation of extra-tropical cyclones and large-scale weather disturbances.

Frontolysis

Frontolysis refers to the weakening or disappearance of an atmospheric front. It occurs when the temperature contrast between two air masses gradually decreases. Mixing of air, changes in wind direction and weakening of the pressure gradient may contribute to frontolysis.

CAREER STUDY
The Learning App

During this process, the differences between the two air masses become less significant, and the frontal boundary gradually disappears.

Importance of Fronts

Fronts play an important role in weather forecasting. They are associated with rainfall, thunderstorms, changes in temperature and wind direction. Cold fronts may produce sudden weather changes, while warm fronts generally bring gradual changes. Fronts are also important in the development and movement of extra-tropical cyclones.

Q3. What are Cyclones and Anticyclones? Explain the Characteristics of Tropical and Extra-Tropical Cyclones.

Answer:

Introduction

Cyclones and anticyclones are major atmospheric pressure systems that influence weather and climate. A cyclone is associated with low atmospheric pressure, while an anticyclone is associated with high atmospheric pressure. Cyclones are generally associated with rising air, clouds and rainfall, whereas anticyclones usually produce descending air and stable weather conditions.

Cyclones

A cyclone is a large-scale low-pressure system in which winds move towards the centre and generally rise. Due to the Coriolis force, winds rotate anticlockwise in the Northern Hemisphere and clockwise in the Southern Hemisphere around a low-pressure centre.

Cyclones are broadly classified into two major types: tropical cyclones and extra-tropical cyclones.

1. Tropical Cyclones

Tropical cyclones are intense low-pressure systems that develop over warm tropical oceans. They require warm ocean water, generally around 26.5°C or higher over a sufficient depth, along with moist and unstable atmospheric conditions.

Characteristics of Tropical Cyclones:

Tropical cyclones are characterised by very strong rotating winds, heavy rainfall and thunderstorms. They generally have a warm core and are not associated with warm and cold fronts. Their energy mainly comes from the release of latent heat during the condensation of water vapour.

The central part of a mature tropical cyclone is known as the eye. It is usually relatively calm and surrounded by the eyewall, where the strongest winds and heaviest rainfall occur.

Tropical cyclones may cause severe destruction through strong winds, storm surges, coastal flooding and heavy rainfall. In the Bay of Bengal, tropical cyclones frequently affect the coastal regions of eastern India and Bangladesh.

2. Extra-Tropical Cyclones

Extra-tropical cyclones develop mainly in the middle and high latitudes, generally between 30° and 60° latitude. They form due to temperature contrasts between warm and cold air masses and are commonly associated with fronts.

Characteristics of Extra-Tropical Cyclones:

Extra-tropical cyclones generally have a cold core and a larger geographical area than tropical cyclones. They are associated with warm fronts, cold fronts and sometimes occluded fronts. Their winds rotate anticlockwise in the Northern Hemisphere and clockwise in the Southern Hemisphere.

CAREER STUDY
The Learning App

These cyclones generally move from west to east under the influence of prevailing westerly winds. They may produce widespread rainfall, snowfall, strong winds and sudden temperature changes.

Anticyclones

An anticyclone is a high-pressure system in which air generally descends towards the Earth's surface and moves outward from the centre. Winds rotate clockwise in the Northern Hemisphere and anticlockwise in the Southern Hemisphere.

Anticyclones generally produce clear skies, light winds and stable atmospheric conditions because descending air restricts cloud formation. During winter, they may cause cold and foggy conditions in some regions. They are often associated with dry weather and prolonged periods of sunshine.

Differences Between Cyclones and Anticyclones

Cyclones are low-pressure systems with inward-moving surface winds and rising air, whereas anticyclones are high-pressure systems

with outward-moving surface winds and descending air. Cyclones generally bring cloudy and rainy weather, while anticyclones usually produce stable and clear weather.

Q4. Differentiate Between Tropical and Extra-Tropical Cyclones. Explain Their Formation, Characteristics and Effects.

Answer:

Introduction

Cyclones are atmospheric disturbances associated with low pressure and rotating winds. They play an important role in determining weather conditions in different parts of the world. Based on their geographical location and formation processes, cyclones are mainly classified into tropical and extra-tropical cyclones. Both systems produce strong winds and precipitation, but they differ in their structure, origin and energy sources.

Tropical Cyclones: Formation

Tropical cyclones develop over warm tropical oceans where sea surface temperatures are generally around 26.5°C or higher over a sufficient depth. Warm ocean water increases evaporation and supplies moisture to the atmosphere.

When warm and moist air rises, it cools and condenses to form clouds and thunderstorms. During condensation, latent heat is released, which provides energy to the developing storm. The Coriolis force causes the winds to rotate around the low-pressure centre. As the system becomes stronger, it may develop into a mature tropical cyclone.

Tropical cyclones generally require sufficient Coriolis force, low vertical wind shear and a moist atmosphere. Therefore, they rarely develop directly over the Equator.

Characteristics of Tropical Cyclones

Tropical cyclones have a warm-core structure and generally lack fronts. They are characterised by a central eye, an eyewall and spiral rainbands. The eye is relatively calm, while the eyewall contains the strongest winds and heaviest rainfall.

They may produce extremely strong winds, heavy rainfall, storm surges and coastal flooding. Tropical cyclones are known by different names in different ocean basins. They are called hurricanes in the Atlantic and northeastern Pacific, typhoons in the northwestern Pacific, and cyclones in the Indian Ocean region.

Extra-Tropical Cyclones: Formation

Extra-tropical cyclones develop mainly in middle and high latitudes where warm and cold air masses meet. They commonly form along the polar front due to strong temperature contrasts.

A disturbance develops along the frontal boundary, creating a low-pressure centre. Warm air advances towards colder regions, while cold air moves towards warmer regions. This produces warm and cold fronts. As the system develops, it may become stronger and produce widespread precipitation and strong winds.

Characteristics of Extra-Tropical Cyclones

Extra-tropical cyclones generally have a cold-core structure and are associated with warm fronts, cold fronts and occluded fronts. They cover large geographical areas and generally move from west to east under the influence of westerly winds.

Unlike tropical cyclones, they do not depend mainly on warm ocean water for their energy. Their development is primarily associated with horizontal temperature differences and atmospheric dynamics.

Differences Between Tropical and Extra-Tropical Cyclones

Tropical Cyclones	Extra-Tropical Cyclones
Develop over warm tropical oceans	Develop mainly in middle and high latitudes

Generally have a warm core	Generally have a cold core
Usually do not have fronts	Associated with warm and cold fronts
Energy mainly comes from latent heat release	Energy mainly comes from temperature contrasts and atmospheric dynamics
Usually have a distinct eye when mature	Generally do not have a distinct eye
Can produce intense coastal storm surges	Often produce widespread rain or snowfall

Effects of Cyclones

Both types of cyclones influence weather and human activities. Tropical cyclones can cause severe damage to houses, roads, crops and coastal infrastructure. Heavy rainfall may cause floods and landslides. Storm surges can lead to coastal inundation and loss of life.

Extra-tropical cyclones may cause heavy snowfall, rainstorms, strong winds and transportation disruptions. They also influence temperature and precipitation patterns over large regions.

Q5. Explain the Origin, Mechanism, Distribution and Effects of the Indian Monsoon.

Answer:

Introduction

The monsoon is one of the most important climatic features of South Asia, particularly India. The word monsoon is derived from the Arabic word Mausim, meaning season. It refers to the seasonal reversal of prevailing wind direction, generally associated with seasonal changes in rainfall. The Indian monsoon plays a major role

in agriculture, water resources, economic activities and the livelihood of millions of people.

Origin of the Indian Monsoon

The origin of the Indian monsoon is mainly associated with the differential heating of land and sea. During summer, the Indian landmass becomes much hotter than the surrounding Indian Ocean. This creates a low-pressure area over the Indian subcontinent, while relatively higher pressure remains over the southern Indian Ocean.

The seasonal movement of the Inter-Tropical Convergence Zone (ITCZ) towards the north also contributes to the development of the summer monsoon. Other important factors include the Tibetan Plateau's heating, the cross-equatorial flow of winds and the seasonal movement of global pressure belts.

Mechanism of the Indian Monsoon

The Indian monsoon operates through two major seasonal wind systems.

1. Southwest Monsoon: During the summer season, generally from June to September, moisture-laden winds move from the Indian Ocean towards the Indian subcontinent. These winds cross the Equator and are deflected due to the Coriolis force. They reach India mainly through two branches.

The Arabian Sea branch brings heavy rainfall to the Western Ghats and western coastal regions. It also contributes to rainfall over central and northwestern India.

The Bay of Bengal branch moves towards northeastern India and the Himalayan foothills. It brings heavy rainfall to Meghalaya, Assam, West Bengal and other northeastern regions. The hills of Meghalaya, particularly the Khasi Hills, receive very heavy rainfall due to orographic uplift.

2. Northeast Monsoon: During the winter season, generally from October to December, winds reverse direction and blow mainly from

the northeast towards the Indian Ocean. These winds are generally dry over most of India. However, after crossing the Bay of Bengal, they collect moisture and bring rainfall to Tamil Nadu and parts of the southeastern coast.

Distribution of Monsoon Rainfall in India

Monsoon rainfall is not evenly distributed throughout India. The Western Ghats, northeastern India and parts of the Himalayan foothills receive heavy rainfall. Meghalaya is one of the wettest regions in the world.

The northwestern parts of India, including Rajasthan, receive comparatively low rainfall. The interior regions of the Deccan Plateau also receive less rainfall because they lie in the rain-shadow region of the Western Ghats. Tamil Nadu receives a significant portion of its annual rainfall during the northeast monsoon.

In Assam and the wider Northeast, the southwest monsoon is particularly important. The region receives substantial rainfall due to moisture-laden winds from the Bay of Bengal and the influence of surrounding hills and mountains.

Effects of the Indian Monsoon

The monsoon has several positive effects on India's economy and environment. Agriculture depends heavily on monsoon rainfall, particularly the cultivation of rice, tea, jute and other crops. It replenishes rivers, lakes, reservoirs and groundwater. Monsoon rainfall also supports hydroelectric power generation and maintains ecological balance.

However, excessive rainfall may cause floods, landslides, soil erosion and damage to crops and infrastructure. In Assam, heavy monsoon rainfall frequently contributes to flooding in the Brahmaputra and Barak river valleys. On the other hand, insufficient rainfall may cause drought, crop failure and water shortages.

UNIT – 4

ONE MARK:

Q1. What is ocean-floor morphology?
Answer: Ocean-floor morphology refers to the study of the shape, features and relief of the ocean floor.

Q2. Name the four major features of the ocean floor.
Answer: Continental shelf, continental slope, continental rise and deep-sea plain.

Q3. What is a continental shelf?
Answer: A continental shelf is the gently sloping submerged extension of a continent that extends from the coastline towards the deep ocean.

Q4. What is a continental slope?
Answer: A continental slope is the steeply sloping region that connects the continental shelf with the deep ocean floor.

Q5. What is a mid-ocean ridge?
Answer: A mid-ocean ridge is a long underwater mountain range formed mainly by volcanic activity and seafloor spreading.

Q6. Which is the deepest oceanic trench in the world?
Answer: The Mariana Trench in the Pacific Ocean is the deepest known oceanic trench.

Q7. What is ocean-water density?
Answer: Ocean-water density refers to the mass of seawater per unit volume.

Q8. Name the three main factors affecting ocean-water density.
Answer: Temperature, salinity and pressure.

Q9. What is a water mass?
Answer: A water mass is a large body of ocean water having relatively uniform temperature, salinity and density characteristics.

CAREER STUDY
The Learning App

Q10. What are ocean deposits?
Answer: Ocean deposits are materials such as sediments, shells and mineral particles that accumulate on the ocean floor.

Q11. Name the two major types of ocean deposits.
Answer: Terrigenous deposits and pelagic deposits.

Q12. What is ocean-water temperature?
Answer: Ocean-water temperature refers to the degree of hotness or coldness of seawater.

Q13. What is a thermocline?
Answer: A thermocline is a layer in the ocean where temperature decreases rapidly with increasing depth.

Q14. What is ocean-water salinity?
Answer: Salinity is the total concentration of dissolved salts in seawater, generally expressed in parts per thousand (‰).

Q15. What is the average salinity of ocean water?
Answer: The average salinity of ocean water is approximately 35‰ or 35 parts per thousand.

CAREER STUDY
The Learning App

TWO MARK:

Q1. What is ocean-floor morphology? Mention its major features.

Answer: Ocean-floor morphology refers to the study of the shape, structure and relief features of the ocean floor. Its major features include the continental shelf, continental slope, continental rise, deep-sea plain, mid-ocean ridges, oceanic trenches and submarine mountains.

Q2. What is a continental shelf? Mention its importance.

Answer: A continental shelf is the gently sloping submerged extension of a continent that stretches from the coastline towards the deep ocean. It is generally rich in marine resources, including fish,

petroleum and natural gas. Therefore, it is important for fishing, offshore industries and economic activities.

Q3. Differentiate between continental shelf and continental slope.

Answer: A continental shelf is a gently sloping and relatively shallow submerged extension of a continent. In contrast, a continental slope is a steeply inclined region that connects the continental shelf with the deep ocean floor. The continental slope generally marks the boundary between continental and oceanic crust.

Q4. Write two important features of the Pacific Ocean floor.

Answer: The Pacific Ocean floor is characterised by numerous deep oceanic trenches and volcanic island arcs. It contains the Mariana Trench, the deepest known oceanic trench in the world. The Pacific Ocean is also surrounded by the Pacific Ring of Fire, which is known for frequent earthquakes and volcanic activity.

Q5. Mention two important features of the Atlantic Ocean floor.

Answer: The Atlantic Ocean floor is characterised by the Mid-Atlantic Ridge, a major underwater mountain system running approximately north to south through the ocean. It also contains extensive abyssal plains and several deep-sea trenches. The Mid-Atlantic Ridge is associated with seafloor spreading and the formation of new oceanic crust.

Q6. Mention two important features of the Indian Ocean floor.

Answer: The Indian Ocean floor contains several important underwater ridges, including the Central Indian Ridge and the Southwest Indian Ridge. It also has deep oceanic trenches, such as the Java (Sunda) Trench. Its complex relief includes submarine plateaus, basins and island groups.

Q7. What is ocean-water density? Mention the factors affecting it.

Answer: Ocean-water density refers to the mass of seawater per unit volume. It is mainly controlled by temperature, salinity and pressure. Cold and highly saline water is generally denser than warm and less

saline water. Density plays an important role in ocean circulation and the formation of water masses.

Q8. How does temperature affect the density of ocean water?

Answer: Temperature has an inverse relationship with the density of seawater under normal oceanic conditions. When seawater cools, it generally becomes denser and sinks. When it becomes warmer, its density decreases and it tends to remain near the surface. This temperature difference helps drive ocean-water circulation.

Q9. What is a water mass? Mention its characteristics.

Answer: A water mass is a large body of ocean water having relatively uniform temperature, salinity and density characteristics. It develops under particular climatic and oceanographic conditions. Water masses maintain their characteristic properties while moving through different parts of the ocean and play an important role in ocean circulation.

CAREER STUDY
The Learning App

Q10. What are ocean deposits? Classify them.

Answer: Ocean deposits are sediments and other materials that accumulate on the ocean floor through various geological and biological processes. They are broadly classified into terrigenous deposits, which originate mainly from land, and pelagic deposits, which accumulate in the deep ocean and include materials of biological and chemical origin.

Q11. Differentiate between terrigenous and pelagic deposits.

Answer: Terrigenous deposits are sediments derived mainly from the weathering and erosion of rocks on land. They are transported into the oceans by rivers, winds and glaciers. Pelagic deposits accumulate in deep oceanic regions and mainly consist of microscopic marine organisms, fine clay particles and other materials settling through seawater.

Q12. What is the horizontal distribution of ocean-water temperature?

Answer: Horizontal distribution refers to the variation of ocean-water temperature across different geographical regions at the same depth. Surface temperatures are generally higher near the Equator and decrease towards the Poles. This distribution is influenced by latitude, solar radiation, ocean currents, winds and the distribution of land and water.

Q13. What is the vertical distribution of ocean-water temperature?

Answer: Vertical distribution refers to the variation of ocean-water temperature with increasing depth. The upper ocean is generally warmer because it receives solar energy. Below the surface, temperature decreases rapidly in the thermocline zone and remains very low in the deep ocean.

Q14. What is salinity? Mention the factors affecting ocean-water salinity.

Answer: Salinity refers to the concentration of dissolved salts present in seawater. The average oceanic salinity is approximately 35‰. It is influenced by evaporation, precipitation, river-water inflow, freezing and melting of ice, and ocean currents. High evaporation generally increases salinity, while heavy rainfall and river inflow reduce it.

Q15. Differentiate between temperature and salinity of ocean water.

Answer: Ocean-water temperature refers to the degree of hotness or coldness of seawater, whereas salinity refers to the concentration of dissolved salts in seawater. Temperature is mainly influenced by solar radiation and ocean currents, while salinity is controlled by evaporation, precipitation, freshwater inflow and ice formation or melting. Both influence ocean-water density.

BROAD ANSWER:

Q1. Explain the Major Relief Features of the Ocean Floor.

Answer:

Introduction

The ocean floor is not a flat surface. It consists of various landforms and relief features similar to those found on the continents. The study of the shape, structure and physical features of the ocean floor is known as ocean-floor morphology. These features have developed through tectonic movements, volcanic activities, sedimentation and other geological processes.

Major Relief Features of the Ocean Floor

1. Continental Shelf: The continental shelf is the gently sloping submerged extension of a continent. It extends from the coastline towards the deep ocean. Its depth generally reaches around 200 metres, although it varies from place to place. Continental shelves are economically important because they contain rich fishing grounds and deposits of petroleum and natural gas.

2. Continental Slope: The continental slope is the steeply inclined region extending from the outer edge of the continental shelf towards the deep ocean basin. It marks the transition between continental and oceanic crust. Submarine canyons are sometimes found cutting across continental slopes.

3. Continental Rise: The continental rise is a gently sloping region located between the continental slope and the deep-sea floor. It is mainly formed by the accumulation of sediments transported from continental areas through underwater landslides and turbidity currents.

4. Abyssal Plains: Abyssal plains are extensive, almost flat areas found in the deep ocean basins. They are generally covered with fine sediments deposited over long periods. These plains are among the flattest regions on Earth.

5. Mid-Oceanic Ridges: Mid-oceanic ridges are long underwater mountain chains formed mainly through volcanic activity at divergent plate boundaries. New oceanic crust develops when magma rises and cools. The Mid-Atlantic Ridge is an important example.

6. Oceanic Trenches: Oceanic trenches are long, narrow and extremely deep depressions found on the ocean floor. They are generally formed at convergent plate boundaries where one tectonic plate moves beneath another through subduction. The Mariana Trench in the Pacific Ocean is the deepest known oceanic trench.

7. Seamounts and Guyots: Seamounts are underwater volcanic mountains that do not reach the ocean surface. Guyots are flat-topped underwater volcanic mountains, usually formed when volcanic islands are eroded and later submerged.

8. Submarine Canyons: These are deep, narrow valleys cut into the continental shelf and continental slope. They are commonly associated with underwater sediment movement and turbidity currents.

Importance of Ocean-Floor Relief

Ocean-floor relief influences ocean currents, marine ecosystems and the distribution of marine resources. Continental shelves support fishing and offshore petroleum activities. Mid-ocean ridges provide evidence of seafloor spreading, while oceanic trenches are important areas of tectonic and earthquake activity.

Q2. Describe the Ocean-Bottom Relief of the Pacific, Atlantic and Indian Oceans.

Answer:

Introduction

The three major oceans of the world—the Pacific, Atlantic and Indian Oceans—have different types of underwater relief features. Their ocean floors consist of continental shelves, continental slopes, deep-sea plains, submarine ridges, plateaus and trenches. These features have developed through tectonic movements, volcanic activities and sedimentation.

1. Ocean-Bottom Relief of the Pacific Ocean

The Pacific Ocean is the largest and deepest ocean in the world. Its floor is characterised by numerous deep oceanic trenches, volcanic islands, submarine mountains and extensive ocean basins.

The most important feature of the Pacific Ocean floor is the Mariana Trench, which contains the Challenger Deep, the deepest known point in the world's oceans. Other important trenches include the Tonga Trench, Japan Trench and Philippine Trench.

The Pacific Ocean also contains numerous volcanic island arcs and seamounts. It is surrounded by the Pacific Ring of Fire, where frequent earthquakes and volcanic eruptions occur due to plate movements. The East Pacific Rise is an important underwater ridge system associated with seafloor spreading.

2. Ocean-Bottom Relief of the Atlantic Ocean

The Atlantic Ocean is the second-largest ocean in the world. Its most important underwater feature is the Mid-Atlantic Ridge, which extends approximately from north to south through the middle of the ocean.

CAREER STUDY
The Learning App

The Mid-Atlantic Ridge is formed at a divergent plate boundary where tectonic plates move away from each other and new oceanic crust develops. It divides the Atlantic Ocean floor into eastern and western basins.

The Atlantic Ocean also contains extensive abyssal plains, continental shelves and submarine mountains. The Puerto Rico Trench is an important deep-sea feature located in the North Atlantic region. Compared with the Pacific Ocean, the Atlantic generally has fewer deep oceanic trenches.

3. Ocean-Bottom Relief of the Indian Ocean

The Indian Ocean is the third-largest ocean in the world. Its floor contains several major underwater ridges, deep-sea basins, plateaus and trenches.

The Central Indian Ridge is an important underwater mountain system. Other important ridges include the Southwest Indian Ridge and Southeast Indian Ridge. These ridges are associated with the movement of tectonic plates and the formation of new oceanic crust.

The Indian Ocean also contains the Java or Sunda Trench, located near the Indonesian island arc. It is an important zone of subduction and earthquake activity. The Indian Ocean floor also contains submarine plateaus such as the Kerguelen Plateau and several deep ocean basins.

Comparative Features

Pacific Ocean	Atlantic Ocean	Indian Ocean
Largest and deepest ocean	Second-largest ocean	Third-largest ocean
Mariana Trench	Puerto Rico Trench	Java/Sunda Trench
East Pacific Rise	Mid-Atlantic Ridge	Central Indian Ridge
Numerous trenches and volcanic island arcs	Extensive abyssal plains	Ridges, plateaus and basins
Part of the Pacific Ring of Fire	Comparatively fewer trenches	Complex tectonic structure

Q3. What is Ocean-Water Density? Explain the Factors Affecting the Density of Ocean Water.

Answer:

Introduction

Ocean-water density refers to the mass of seawater per unit volume. It is an important physical property of ocean water because it influences ocean currents, vertical mixing and the formation of water masses.

The density of seawater is mainly controlled by temperature, salinity and pressure.

Meaning of Ocean-Water Density

Density refers to the amount of mass contained in a given volume of seawater. In general, cold and highly saline seawater is denser than warm and less saline seawater. The average density of seawater at the ocean surface is approximately 1,025 kg per cubic metre, although it varies according to temperature and salinity.

Factors Affecting Ocean-Water Density

1. Temperature: Temperature is one of the most important factors affecting ocean-water density. When seawater cools, its volume generally decreases and density increases. Warm seawater expands and becomes less dense. Therefore, polar ocean water is generally denser than tropical surface water.

2. Salinity: Salinity refers to the concentration of dissolved salts in seawater. Higher salinity generally increases water density because more dissolved salts are present in a given volume. Areas with high evaporation often have higher salinity and greater density.

3. Pressure: Pressure increases with depth because of the weight of the water above. Increasing pressure compresses seawater slightly and increases its density. Therefore, pressure is an important factor in the density of deep ocean water.

4. Evaporation: Evaporation removes water from the ocean surface but leaves most dissolved salts behind. As a result, salinity increases, which generally increases seawater density.

5. Precipitation: Rainfall adds freshwater to the ocean surface and reduces salinity. This generally lowers the density of surface water.

6. Freezing and Melting of Ice: During sea-ice formation, much of the salt is excluded from the ice and remains in the surrounding seawater. This increases the salinity and density of nearby water. Melting ice adds freshwater and reduces surface-water density.

Distribution of Ocean-Water Density

Ocean-water density varies both horizontally and vertically. Horizontally, density is generally lower in warm tropical regions and higher in colder polar regions. However, local variations occur due to evaporation, rainfall and ocean currents.

Vertically, density generally increases with depth because temperature decreases and pressure increases. The zone where density increases rapidly with depth is known as the pycnocline. Below this zone, deep ocean water generally has relatively high density.

Importance of Ocean-Water Density

Ocean-water density plays a major role in the formation of ocean currents and deep-water circulation. Differences in temperature and salinity create density variations that cause water to sink or rise. This process is important for thermohaline circulation, which helps distribute heat and nutrients throughout the oceans.

Density also influences marine ecosystems by controlling the movement of nutrients and oxygen between surface and deep waters.

CAREER STUDY
The Learning App

Q4. What are Water Masses and Ocean Deposits? Explain Their Types and Characteristics.

Answer:

Introduction

Water masses and ocean deposits are important components of oceanography. Water masses refer to large bodies of ocean water with relatively uniform physical characteristics, while ocean deposits refer to sediments and other materials accumulated on the ocean floor. Both play important roles in ocean circulation, marine ecosystems and the geological development of ocean basins.

Meaning of Water Masses

A water mass is a large body of ocean water having relatively uniform temperature, salinity and density characteristics. Water masses develop in particular oceanic regions due to specific climatic and environmental conditions.

They acquire their properties from the areas where they originate and may travel long distances through ocean currents while retaining many of their original characteristics.

Formation of Water Masses

Water masses are formed mainly due to variations in temperature and salinity. In polar regions, cooling and sea-ice formation increase seawater density, causing water to sink towards the deep ocean. In warm regions, evaporation increases salinity and may also increase water density.

The sinking and movement of dense water contribute to the formation of deep and intermediate water masses. Surface currents and large-scale ocean circulation transport these water masses to different parts of the oceans.

CAREER STUDY
The Learning App

Major Types of Water Masses

1. Surface Water Masses: These are found near the ocean surface and are strongly influenced by solar radiation, rainfall, evaporation and winds. Their temperature and salinity change according to seasons and geographical location.

2. Intermediate Water Masses: These occur below surface waters and above deep ocean water. They are generally formed through sinking and mixing processes in certain oceanic regions.

3. Deep Water Masses: These are found at considerable depths and are generally cold and relatively dense. They move slowly through deep ocean basins and are important for global ocean circulation.

4. Bottom Water Masses: These are the densest water masses found near the ocean floor. Antarctic Bottom Water is an important example.

Ocean Deposits

Ocean deposits are materials that accumulate on the ocean floor through physical, chemical and biological processes. These materials include rock fragments, clay, sand, shells, microscopic organisms and mineral particles.

Types of Ocean Deposits

1. Terrigenous Deposits: These deposits originate mainly from the weathering and erosion of rocks on land. They are transported into the oceans by rivers, wind, glaciers and coastal erosion. Sand, silt and clay are common examples. These deposits are particularly abundant near continental margins.

2. Biogenous Deposits: These deposits are formed from the remains of marine organisms such as shells, skeletons and microscopic organisms. They commonly contain calcium carbonate or silica. Calcareous ooze and siliceous ooze are important examples.

3. Hydrogenous Deposits: These deposits are formed through chemical precipitation from seawater. Manganese nodules and certain metal-rich deposits are examples.

4. Cosmogenous Deposits: These deposits originate from extraterrestrial materials such as meteorite fragments and cosmic dust. They are generally found in very small quantities.

Importance of Water Masses and Ocean Deposits

Water masses help maintain global ocean circulation and distribute heat, oxygen and nutrients. Ocean deposits provide information about past climates, marine life and geological processes. They are also important sources of minerals and other natural resources.

Q5. Explain the Horizontal and Vertical Distribution of Temperature and Salinity in Ocean Water.

Answer:

Introduction

Temperature and salinity are two important physical properties of ocean water. They influence ocean-water density, currents, marine life and climatic conditions. Both temperature and salinity vary horizontally across different geographical regions and vertically with increasing ocean depth. Their distribution depends on solar radiation, evaporation, rainfall, ocean currents and other environmental factors.

Distribution of Ocean-Water Temperature

Ocean-water temperature refers to the degree of hotness or coldness of seawater. It is mainly influenced by the amount of solar energy received by the ocean surface.

1. Horizontal Distribution of Temperature

Horizontal distribution refers to the variation of ocean-water temperature from one geographical region to another at the same depth.

Surface-water temperature is generally highest in tropical and equatorial regions because these areas receive more direct solar radiation throughout the year. Temperature generally decreases towards the polar regions because solar rays fall at a more oblique angle.

Ocean currents also influence temperature distribution. Warm currents increase the temperature of nearby coastal waters, while cold currents reduce it. For example, the Gulf Stream warms parts of the North Atlantic region, whereas the Labrador Current brings cold water towards the northeastern coast of North America.

Cloud cover, prevailing winds and seasonal changes also influence ocean-surface temperatures.

2. Vertical Distribution of Temperature

Vertical distribution refers to the variation of temperature with increasing depth in the ocean.

The ocean can generally be divided into three temperature zones.

1. Surface Mixed Layer: This is the upper layer of the ocean where temperature is relatively uniform due to the mixing action of winds and waves. It receives direct solar radiation and is generally warmer than deeper water.

2. Thermocline: The thermocline is the middle layer where temperature decreases rapidly with increasing depth. It separates the warm surface water from the colder deep ocean water.

3. Deep-Water Layer: This layer extends towards the ocean floor. Temperature remains very low and relatively stable in most deep ocean regions.

Distribution of Ocean-Water Salinity

Salinity refers to the concentration of dissolved salts in seawater. The average salinity of the oceans is approximately 35‰.

1. Horizontal Distribution of Salinity

Horizontal distribution refers to the variation of salinity across different geographical regions.

Salinity is generally higher in subtropical regions where evaporation is high and rainfall is comparatively low. In equatorial regions, heavy rainfall reduces surface salinity. Polar regions generally have lower surface salinity because of low evaporation and the addition of freshwater through melting ice.

Enclosed seas may have very high or low salinity depending on the balance between evaporation, rainfall and freshwater inflow. For example, the Red Sea has high salinity because of high evaporation and limited freshwater input.

2. Vertical Distribution of Salinity

Salinity also varies with depth. In many oceans, the upper layer is influenced by rainfall, evaporation and freshwater inflow. Below the surface layer, salinity may change rapidly with depth in a zone known as the halocline.

In deeper waters, salinity generally becomes more uniform, although variations occur between different water masses.

Factors Affecting Ocean-Water Salinity

The major factors affecting salinity are evaporation, precipitation, river-water inflow, freezing and melting of ice, and ocean currents. High evaporation increases salinity, whereas rainfall and freshwater inflow reduce it. Freezing of seawater increases the salinity of the surrounding water because most salt is excluded from sea ice.

CAREER STUDY
The Learning App

UNIT – 5

ONE MARK:

1. What are marine deposits?

Answer: Marine deposits are materials such as sand, mud, shells and the remains of marine organisms that accumulate on the ocean floor.

2. Name the four major types of marine deposits.

Answer: The four major types are terrigenous, biogenous, hydrogenous and cosmogenous deposits.

3. What are coral reefs?

Answer: Coral reefs are underwater structures formed mainly by the accumulation of calcium carbonate skeletons of tiny marine organisms called coral polyps.

4. What is a coral island?

Answer: A coral island is an island formed mainly from the accumulation of coral materials and other calcium carbonate deposits.

5. Who proposed the subsidence theory of coral reef formation?

Answer: Charles Darwin proposed the subsidence theory of coral reef formation in 1842.

6. Name the three main types of coral reefs.

Answer: The three main types are fringing reefs, barrier reefs and atolls.

7. What is a fringing reef?

Answer: A fringing reef is a coral reef that develops close to the shore of an island or continent.

8. What is an atoll?

Answer: An atoll is a ring-shaped coral reef that surrounds a central lagoon, usually without a central island.

9. Who is associated with the theory of coral reef formation known as the standstill theory?

Answer: Alexander Agassiz is associated with the standstill theory, which emphasises reef growth without significant subsidence. (Dana also proposed an alternative explanation based on reef growth and limited subsidence.)

10. What are ocean currents?

Answer: Ocean currents are continuous movements of ocean water in a particular direction over a considerable distance.

11. Name two major types of ocean currents.

Answer: The two major types are warm currents and cold currents.

12. What are tides?

Answer: Tides are the periodic rise and fall of sea level mainly caused by the gravitational attraction of the Moon and the Sun.

13. What are ocean waves?

Answer: Ocean waves are rhythmic movements of seawater, mainly produced by the action of wind on the ocean surface.

14. What is a tsunami?

Answer: A tsunami is a series of large sea waves usually generated by underwater earthquakes, volcanic eruptions or submarine landslides.

15. What is sea-level change?

Answer: Sea-level change refers to the rise or fall of the average level of the ocean due to changes in ocean-water volume, temperature, ice sheets and movements of the Earth's crust.

TWO MARK:

1. What are marine deposits? Mention their major types.

Answer: Marine deposits are materials that accumulate on the ocean floor through physical, chemical and biological processes. The four major types are terrigenous, biogenous, hydrogenous and cosmogenous deposits.

2. What are terrigenous and biogenous deposits?

Answer: Terrigenous deposits are materials derived from land and transported into the oceans by rivers, winds and glaciers. Biogenous deposits are formed from the remains of marine organisms, such as shells, skeletons and microscopic plants and animals.

3. What are hydrogenous and cosmogenous deposits?

Answer: Hydrogenous deposits are formed through chemical precipitation from seawater, such as manganese nodules and certain mineral deposits. Cosmogenous deposits originate from outer space and include cosmic dust and meteorite fragments that reach the ocean floor.

4. What are coral reefs? Mention the conditions required for their growth.

Answer: Coral reefs are underwater structures formed by the accumulation of calcium carbonate skeletons of coral polyps. They generally grow in warm, shallow, clear and sunlit tropical seawater, usually with temperatures around 20–30°C and sufficient salinity.

5. Differentiate between fringing reefs and barrier reefs.

Answer: Fringing reefs develop close to the coastline and are generally separated from the shore by a narrow or shallow water area.

Barrier reefs develop farther away from the coast and are separated from the land by a wide and relatively deep lagoon.

6. What is an atoll? How is it formed?

Answer: An atoll is a ring-shaped coral reef that surrounds a central lagoon. According to Darwin's theory, it develops when a volcanic island gradually subsides while coral reefs continue to grow upward towards the sea surface.

7. Explain Darwin's theory of coral reef formation.

Answer: Charles Darwin proposed that coral reefs develop through the gradual subsidence of volcanic islands. Initially, fringing reefs form around an island. As the island sinks, the reef grows upward and develops into a barrier reef. Eventually, the island disappears below sea level, leaving an atoll.

8. What is Dana's theory of coral reef formation?

Answer: James Dwight Dana explained coral reef development mainly through the stability of islands and limited subsidence. According to his explanation, fringing reefs develop around stable islands, while barrier reefs and atolls are associated with changes in land level and reef growth. His explanation differs from Darwin's emphasis on continuous subsidence.

9. What are ocean currents? Mention their main causes.

Answer: Ocean currents are large-scale, continuous movements of seawater in particular directions. They are mainly caused by prevailing winds, differences in temperature and salinity, Earth's rotation, and the shape of coastlines and ocean basins.

10. Differentiate between warm and cold ocean currents.

Answer: Warm ocean currents carry warmer water from low latitudes towards higher latitudes and generally raise the temperature of nearby coastal regions. Cold ocean currents carry colder water from high latitudes towards lower latitudes and generally lower the temperature of nearby coastal regions.

11. What are tides? Name their main types.

Answer: Tides are the periodic rise and fall of sea level caused mainly by the gravitational attraction of the Moon and the Sun. The two main types are high tide and low tide. Tides may also be classified as spring tides and neap tides.

12. Differentiate between spring tides and neap tides.

Answer: Spring tides occur when the Sun, Moon and Earth are approximately in a straight line, producing the greatest tidal range. Neap tides occur when the Sun and Moon are at right angles to each other relative to Earth, producing the smallest tidal range.

13. What are ocean waves? Mention their main causes.

Answer: Ocean waves are rhythmic movements of seawater that transfer energy across the ocean surface. They are mainly generated by wind blowing over the water, although earthquakes, volcanic eruptions and underwater landslides can also produce large waves.

14. What is the difference between tides and waves?

Answer: Tides are regular changes in sea level caused mainly by the gravitational forces of the Moon and the Sun. Waves are surface movements of seawater caused mainly by wind. Tides occur at predictable intervals, whereas ordinary wind-generated waves vary according to weather conditions.

15. What are the major causes of sea-level changes?

Answer: Sea-level changes occur due to the melting or growth of glaciers and ice sheets, thermal expansion or contraction of ocean water, and movements of the Earth's crust. These changes may be global (eustatic) or relative to a particular coastline (relative sea-level change).

BROAD ANSWER:

Q1. Discuss the different types of marine deposits and explain their characteristics.

Answer:

Introduction

Marine deposits refer to various materials that accumulate on the ocean floor through physical, chemical and biological processes. These deposits include sand, mud, clay, shells, skeletons of marine organisms and mineral substances. They are important because they provide information about oceanic conditions, marine life, geological history and environmental changes. Marine deposits are mainly classified into four major types: terrigenous, biogenous, hydrogenous and cosmogenous deposits.

1. Terrigenous Deposits

Terrigenous deposits are materials derived from land and transported into the oceans by rivers, winds, glaciers and other natural processes. They include sand, silt, clay, mud and gravel. Rivers carry large quantities of sediments from mountains and plains and deposit them near river mouths and coastal areas. Wind also transports fine dust particles over long distances into the oceans. Glaciers carry rock fragments and deposit them when the ice melts. These deposits are commonly found near continental margins.

2. Biogenous Deposits

Biogenous deposits are formed from the remains of marine organisms. They mainly consist of the shells, skeletons and other hard parts of microscopic plants and animals. These deposits contain calcium carbonate and silica. Calcareous ooze is formed from the remains of organisms such as foraminifera and coccolithophores, while siliceous ooze develops from organisms such as diatoms and radiolarians. These deposits are important for understanding marine biodiversity and past climatic conditions.

3. Hydrogenous Deposits

Hydrogenous deposits are formed through chemical reactions and precipitation of dissolved substances from seawater. They include manganese nodules, phosphorites, evaporite minerals and certain metal-rich deposits. Manganese nodules are commonly found on deep ocean floors and contain manganese, iron, nickel, copper and other metals. These deposits are important sources of mineral resources and are of growing interest for deep-sea exploration.

4. Cosmogenous Deposits

Cosmogenous deposits originate from outer space and reach the ocean floor through the atmosphere. They include cosmic dust, meteorite fragments and small particles from extraterrestrial sources. Although these deposits are generally found in small quantities, they provide valuable information about space materials and the relationship between Earth and the wider universe.

Conclusion

Marine deposits are important components of the ocean floor. The four major types—terrigenous, biogenous, hydrogenous and cosmogenous—differ in their origin, composition and distribution. Their study helps geographers and oceanographers understand marine environments, geological processes, mineral resources and the history of the oceans.

Q2. Explain the growth and types of coral reefs. Discuss Darwin's and Dana's theories of coral reef formation.

Answer:

Introduction

Coral reefs are underwater structures formed mainly by the accumulation of calcium carbonate skeletons produced by small marine animals known as coral polyps. They are among the most productive and biologically diverse ecosystems in the world. Coral reefs are commonly found in warm tropical oceans, particularly in shallow, clear and sunlit waters. Their growth depends on suitable

temperature, salinity, sunlight, water depth and availability of nutrients.

Conditions Required for Coral Reef Growth

Coral reefs generally grow in warm seawater, with suitable temperatures usually around 20°C to 30°C. They require clear and shallow water because the symbiotic algae living inside many reef-building corals need sunlight for photosynthesis. They also require normal marine salinity, adequate oxygen and a hard surface for attachment. Excessive sediment, pollution and freshwater inflow can negatively affect coral growth.

Types of Coral Reefs

1. Fringing Reef: A fringing reef develops close to the coastline of an island or continent. It may be directly attached to the shore or separated from it by a narrow and shallow lagoon. It is considered the simplest and most common type of coral reef.

2. Barrier Reef: A barrier reef develops parallel to the coastline but at a considerable distance from the land. A wide and relatively deep lagoon separates it from the coast. The Great Barrier Reef of Australia is the most famous example of this type.

3. Atoll: An atoll is a ring-shaped coral reef that surrounds a central lagoon. It generally develops around a volcanic island that gradually sinks below sea level while the coral reef continues to grow upwards.

Darwin's Subsidence Theory

Charles Darwin proposed the subsidence theory of coral reef formation in 1842. According to Darwin, coral reefs develop through the gradual sinking or subsidence of volcanic islands. Initially, coral polyps grow around the coast of a volcanic island and form a fringing reef.

As the island gradually sinks, the coral continues to grow upwards towards the sea surface because corals require shallow and sunlit water. With further subsidence, the distance between the island and

the reef increases, and a lagoon develops between them. This stage produces a barrier reef.

Finally, when the volcanic island sinks completely below sea level, the coral reef remains as a ring-shaped structure surrounding a central lagoon. This is known as an atoll. Thus, Darwin explained the development of fringing reefs, barrier reefs and atolls as successive stages of coral reef formation.

Dana's Theory

James Dwight Dana proposed an alternative explanation of coral reef formation based on the stability of islands and limited subsidence. Dana argued that coral reefs could develop around stable or slowly changing islands and that continuous subsidence was not necessary to explain all reef formations. He placed importance on the relationship between reef growth, island structure and changes in sea level. His explanation differed from Darwin's emphasis on continuous subsidence.

Conclusion

Coral reefs are important marine ecosystems that support biodiversity and protect coastlines from wave erosion. Fringing reefs, barrier reefs and atolls are their three major types. Darwin's subsidence theory provides an important explanation of their development, while Dana offered an alternative view of coral reef formation.

Q3. What are ocean currents? Explain their causes, types and effects on climate and human activities.

Answer:

Introduction

Ocean currents are large-scale, continuous movements of ocean water in particular directions. They play an important role in the distribution of heat, moisture and nutrients across the world's oceans. Ocean currents influence coastal climate, marine ecosystems, fishing activities and navigation. They are mainly caused by prevailing

winds, differences in water density, Earth's rotation and the shape of ocean basins.

Causes of Ocean Currents

1. Prevailing Winds: Permanent and seasonal winds such as trade winds and westerlies push surface water and generate ocean currents. These winds are among the major driving forces of surface ocean circulation.

2. Temperature Differences: Differences in water temperature create density variations. Cold water is generally denser than warm water, which contributes to the movement of ocean water.

3. Salinity Differences: Water with higher salinity is generally denser than water with lower salinity. These differences help drive deep-ocean circulation.

4. Earth's Rotation: The rotation of the Earth produces the Coriolis effect, which deflects moving water to the right in the Northern Hemisphere and to the left in the Southern Hemisphere.

5. Shape of Continents and Ocean Basins: Continents, coastlines and ocean-floor features influence the direction and movement of ocean currents.

Types of Ocean Currents

1. Warm Currents: Warm currents carry warm water from tropical and equatorial regions towards higher latitudes. They generally increase the temperature of nearby coastal areas and may increase atmospheric moisture. Examples include the Gulf Stream, Kuroshio Current and Brazil Current.

2. Cold Currents: Cold currents carry cold water from polar and higher-latitude regions towards lower latitudes. They generally reduce the temperature of nearby coastal regions and may contribute to dry conditions. Examples include the Labrador Current, California Current, Canary Current and Peru Current.

Ocean currents may also be classified according to their depth into surface currents and deep-water currents. Surface currents are mainly driven by winds, whereas deep-water currents are largely influenced by differences in temperature and salinity.

Effects of Ocean Currents

1. Influence on Climate: Warm currents increase the temperature of nearby coastal regions, while cold currents lower coastal temperatures. For example, the Gulf Stream helps keep parts of Western Europe relatively warm.

2. Rainfall and Fog: Warm currents can increase evaporation and atmospheric moisture. Cold currents may produce stable atmospheric conditions and coastal fog when warm, moist air moves over cold water.

3. Fishing Grounds: The meeting of warm and cold currents often creates favourable conditions for marine productivity. Upwelling brings nutrient-rich deep water towards the surface, supporting plankton growth and productive fishing grounds.

4. Navigation and Shipping: Ocean currents influence the speed and direction of ships. Ships can save time and fuel by using favourable currents.

5. Distribution of Marine Organisms: Currents transport nutrients, plankton, fish larvae and other marine organisms from one region to another.

Conclusion

Ocean currents are essential components of the global oceanic system. They regulate coastal temperatures, influence rainfall, support marine life and affect navigation and fishing. Therefore, the study of ocean currents is important for understanding climate and human activities.

Q4. Explain the origin, types and characteristics of tides and ocean waves.

Answer:

Introduction

Tides and waves are two important forms of ocean-water movement. Tides refer to the periodic rise and fall of sea level, whereas waves are rhythmic movements of water mainly generated by wind. Both play an important role in coastal processes, marine navigation, fishing, erosion and deposition. Their origin and characteristics are different.

Origin of Tides

Tides are mainly caused by the gravitational attraction of the Moon and the Sun, along with the motion of the Earth-Moon system. The Moon has a greater influence on tides because it is much closer to Earth than the Sun. The gravitational attraction of the Moon creates tidal bulges in the ocean, resulting in high tides in certain regions. As the Earth rotates, coastal areas move through these tidal bulges, producing regular changes in sea level.

Types of Tides

1. High Tide: High tide occurs when the sea level reaches its highest position along the coast.

2. Low Tide: Low tide occurs when the sea level reaches its lowest position along the coast.

3. Spring Tide: Spring tides occur when the Sun, Moon and Earth are approximately in a straight line, during new moon and full moon. Their gravitational effects combine to produce the greatest tidal range.

4. Neap Tide: Neap tides occur when the Sun and Moon are positioned approximately at right angles relative to Earth, during the first and third quarter phases of the Moon. Their gravitational effects partly oppose each other, producing the smallest tidal range.

Characteristics and Origin of Ocean Waves

Ocean waves are rhythmic movements of water that transfer energy across the ocean surface. Most ordinary ocean waves are generated by wind blowing over the surface of the water. The size of waves

depends on wind speed, the duration of wind and the distance over which the wind blows, known as fetch.

Waves generally have a crest, which is their highest point, and a trough, which is their lowest point. The vertical distance between the crest and trough is called wave height. The horizontal distance between two successive crests or troughs is called wavelength.

Types of Ocean Waves

1. Wind Waves: These are the most common waves and are produced by the action of wind on the ocean surface.

2. Swells: Swells are relatively regular waves that travel away from the area where they were originally generated by wind.

3. Tsunami Waves: Tsunamis are large sea waves usually caused by underwater earthquakes, volcanic eruptions or submarine landslides. They can travel across entire ocean basins and cause severe destruction when they reach coastal areas.

Importance of Tides and Waves

Tides help in navigation, fishing, coastal drainage and the movement of nutrients. They also influence the formation of estuaries and tidal flats. Ocean waves shape coastlines through erosion, transportation and deposition of sediments. Wave energy can also be used as a renewable source of energy.

Conclusion

Tides and waves are important movements of ocean water. Tides are mainly controlled by the gravitational forces of the Moon and Sun, while waves are mainly generated by wind. Both influence coastal environments, marine activities and the physical geography of coastal regions.

Q5. What is sea-level change? Discuss its major causes, types and effects on coastal areas.

Answer:

Introduction

Sea-level change refers to the rise or fall in the average level of the world's oceans over time. It is an important subject in oceanography and climate studies because it affects coastal settlements, ecosystems, agriculture and human activities. Sea level changes due to natural processes as well as human-induced climate change. In recent decades, global mean sea level has been rising mainly because of ocean warming and the loss of land-based ice.

Major Causes of Sea-Level Changes

1. Thermal Expansion of Ocean Water: When ocean water becomes warmer, it expands and occupies more space. This process is known as thermal expansion. It is one of the major causes of global sea-level rise associated with global warming.

2. Melting of Glaciers and Ice Sheets: The melting of glaciers and large ice sheets in Greenland and Antarctica adds additional water to the oceans. This increases the total volume of ocean water and contributes to sea-level rise.

3. Changes in Land and Ocean Basins: Movements of the Earth's crust, including tectonic uplift and subsidence, can cause changes in relative sea level along coastlines. Land subsidence may make sea level appear to rise locally, even if the global ocean level remains unchanged.

4. Changes in Water Storage on Land: The storage of water in lakes, reservoirs, groundwater and glaciers influences the amount of water available in the oceans. Groundwater extraction can also contribute to sea-level rise when the extracted water eventually reaches the sea.

Types of Sea-Level Changes

1. Eustatic Sea-Level Change: Eustatic change refers to a global rise or fall in sea level caused by changes in the total volume of ocean water or the capacity of ocean basins. For example, melting of

continental ice sheets increases the volume of ocean water and raises global sea level.

2. Relative Sea-Level Change: Relative sea-level change refers to the change in sea level in relation to the land at a particular location. It may occur due to rising ocean water, land subsidence or land uplift. For example, a coastal area experiencing land subsidence may face an increase in relative sea level.

Effects of Sea-Level Rise on Coastal Areas

1. Coastal Flooding: Rising sea levels increase the risk of flooding in low-lying coastal areas, especially during storms and high tides.

2. Coastal Erosion: Higher sea levels allow waves to reach farther inland, increasing the erosion of beaches, cliffs and coastal landforms.

3. Saltwater Intrusion: Seawater may enter freshwater aquifers, rivers and agricultural lands, reducing the availability of freshwater for drinking and irrigation.

CAREER STUDY
The Learning App

4. Loss of Coastal Ecosystems: Mangroves, wetlands, coral islands and other coastal ecosystems may be damaged or submerged due to rising sea levels.

5. Impact on Human Settlements: Coastal communities may face damage to houses, roads, ports, industries and other infrastructure. People living in vulnerable coastal areas may be forced to relocate.

6. Impact on Agriculture and Economy: Saltwater intrusion and flooding can damage agricultural land and affect fishing, tourism and other coastal economic activities.